
AD-R192 248 PHYSICAL CHEMICAL AND BIOLOGICAL DATA CRUISE SQ86 15-22 1/1
MARCH 1986(U) SCRIPPS INSTITUTION OF OCEANOGRAPHY LA
JOLLA CA T L HAYWARD ET AL 31 JUL 87 SIO-REF-87-17
UNCLASSIFIED N88814-85-C-0184 F/G 8/3 NL





OTTE FILE CON-

data report

PHYSICAL, CHEMICAL AND BIOLOGICAL

CRUISE SQ86

CRUISE SQ86 15-22 March, 1986

DATA REPORT

SCRIPPS INSTITUTION OF OCEANOGRAPHY

UNIVERSITY OF CALIFORNIA

DTIC ELECTE MAR 1 8 1988

SIO Reference 87-17 31 July 1987

DISTRIBUTION STATEMENT

Approved for public releases

Distribution U Moditie

88 3 16 007

REPORT DOCUMENTATION PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER 2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
SIO Reference Number 87-17	
4 TITLE (and Subtitle)	5. TYPE OF REPORT & PERIOD COVERED
Physical, Chemical and Biological Data Cruise SQ86, 15-22 March, 1986	
01 413C 3000, 13-22 Haren, 1300	6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s)	B. CONTRACT OR GRANT NUMBER(3)
T. L. Hayward, A. W. Mantyla, and P. P. Niiler	N00014-85-C-0104
9. PERFORMING ORGANIZATION NAME AND ADDPESS	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
Scripps Institution of Oceanography La Jolla, California 92093	
11. CONTROLLING OFFICE NAME AND ADDRESS	12. REPORT DATE July 31, 1987
Office of Naval Research Arlington, Virginia 22217	13. NUMBER OF PAGES 58
14. MONITORING AGENCY NAME & ADDRESS(If different from Controlling Office)	15. SECURITY CLASS. (of this report)
14. MONITORING AGENCY NAME & ABBRESSIT WITHFIAM TOUR CONTINUES	unclassified
	15. DECLASSIFICATION DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report)	· · · · · · · · · · · · · · · · · · ·
•	
Approved for public release; distribution unlimit	ted
hpproved for public release, distribution unitimit	ted
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from	n Report)
·	
•	
18. SUPPLEMENTARY NOTES	
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)	
The data in this report were collected from 15 SQ86 Cruise aboard R/V New Horizon of the Scripps 1 (SIO). The purpose of the cruise was to describe sarea, the California Transition Zone (Brink and Hargate its effects upon physical, chemical and biolognia Current System. The SQ86 cruise site was locatinia coast between Point Arguello and Point Sur. The processed by personnel of the Marine Life Research	Institution of Oceanography structure in the near-coastal twig, 1985), and to investigical patterns in the Califoried along the central Califoried data were collected and

DD 1 JAN 73 1473 EDITION OF 1 NOV 65 IS OBSOLETE S/N 0102 LF 014 6601

unclassified

UNIVERSITY OF CALIFORNIA

SCRIPPS INSTITUTION OF OCEANOGRAPHY

PHYSICAL, CHEMICAL AND BIOLOGICAL DATA

CRUISE SQ86 15-22 March, 1986

T. L. Hayward, A. W. Mantyla, and P. P. Niiler

Sponsored by

Marine Life Research Group, Scripps Institution of Oceanography

and

Office of Naval Research

SIO Reference 87-17 31 July 1987


Approved for distribution:

Edward A. Frieman, Director

CONTENTS

Introduction	3
Literature Cited	6
Cruise SQ86	
List of Figures	7
Personnel	19
Tabulated Hydrographic and CTD Cast Data	20
Tabulated Primary Productivity Cast Data	39
Tabulated Secchi Disk Observations	40
Tabulated Macrozooplankton Data	40
CTD Data Plata	41





INTRODUCTION

The data in this report were collected from 15 to 22 March 1986 on the SQ86 Cruise aboard RV New Horizon of the Scripps Institution of Oceanography (SIO). The purpose of the cruise was to describe structure in the near-coastal area, the California Transition Zone (Brink and Hartwig, 1985), and to investigate its effects upon physical, chemical and biological patterns in the California Current System. The SQ86 cruise site was located along the central California coast between Point Arguello and Point Sur (Fig. 1). The data were collected and processed by personnel of the Marine Life Research Group (MLRG) and the Oceanographic Data Facility (ODF) at SIO. Support was provided by the Marine Life Research Group of the Scripps Institution of Oceanography and the Office of Naval Research.

STANDARD PROCEDURES

Conductivity/Temperature/Depth (CTD) Data

A Neil Brown Instrument Systems CTD was used successfully on 35 stations to a maximum sampling depth of 500 m, bottom depth permitting. The CTD malfunctioned during the first part of the cruise and scheduled CTD stations were replaced by 10-bottle, 200 m Nansen casts, except for Station G 3, where no data were recovered. Checks on the CTD temperature and computed salinity were made on most CTD casts by comparison with deep-sea reversing thermometers and salinity samples from Niskin rosette bottles tripped near the surface and at the maximum CTD depth. The CTD data were processed and calibrated by personnel at the ODF who provided MLRG with a computer tape of the corrected CTD temperature and salinity data at one-db intervals. Standard depth data listed in this report have been extracted from the one-db interval tapes using the Saunders (1981) pressure-to-depth conversion technique. Profiles of the one-db interval CTD data appear at the end of this report. The complete one-db interval tapes will be sent to NODC.

Hydrographic Cast Data

Except for the CTD replacement Nansen casts, the hydrographic casts consisted of 20 epoxy-lined Nansen bottles lowered to a maximum sampling depth of 575 m, bottom depth permitting. Only temperature and salinity were determined on the CTD replacement casts. Temperature, salinity, dissolved oxygen, and nutrients from all depths, and usually chlorophyll-a and phaeopigments from the top 12 depths, were determined on the rest of the hydrographic stations.

Paired protected reversing thermometers were used to determine temperatures which were recorded to hundredths of a degree Celsius. Sampling bottles used below a depth of about 75 meters were equipped with unprotected thermometers for determination of the depth of sampling.

Salinity samples were analyzed at sea using inductive-type salinometers. Salinometers were standardized with substandard seawater. Periodic checks on the concentration of the substandard were made by comparison with Wormley Standard Seawater batch P-96. The salinity values are reported to three decimal places.

Dissolved oxygen was determined by the Winkler method as modified by Carpenter (1965), using the equipment and procedure outlined by Anderson (1971). Percent oxygen saturation was calculated from the equations of Weiss (1970).

Silicate, phosphate, nitrate and nitrite nutrients were determined at sea using an automated analyzer. The procedures used are similar to those described in Atlas et al. (1971).

Chlorophyll-a and phaeopigments were measured with a fluorometric technique (Yentsch and Menzel, 1963; Holm-Hansen et al., 1965) from subsamples filtered onto GF/C filters. The pigments were extracted with a cold extraction technique in 90% acetone (Venrick and Hayward, 1984) and the fluorescence determined before and after acidification with a Turner design fluorometer.

The observed data have been evaluated using the methodology described by Klein (1973). This involves consideration of their variation as functions of density or depth and their relations to each other, and comparisons with adjacent observations.

Satellite Tracked Data

TRISTAR-II drifters are tracked by ARGOS, with an average of seven receptions per day. The latitude and longitude fixes are interpolated to 0.2-day intervals by linear interpolation. These data are plotted on Figure 2. The interpolated data are available on magnetic tape from SIO. For details of drifter construction and water following capabilities, see Niiler et al. (1987).

Primary Productivity Casts

Primary production was estimated from ¹⁴C uptake using a simulated *in situ* technique. Light penetration was estimated from the Secchi depth (assuming that the 1% light level is three times the Secchi depth). Six depths, corresponding to predetermined levels of light penetration, were sampled with 51 Niskin bottles. Temperature, salinity, oxygen, nutrients, chlorophyll-a, and phaeopigments were determined for all depths sampled. Triplicate samples (two light and one dark control) were drawn from each depth into 250 ml polycarbonate incubation bottles which were innoculated with approximately 10 µCi of ¹⁴C as NaHCO₃. These were incubated from near local apparent noon to civil twilight in seawater-cooled incubators with neutral-density screens which simulate the *in situ* light levels. At the end of the incubation, the samples were filtered onto HA milipore filters and placed in scintillation vials. One-half ml of 10% HCl was added to each sample. The sample was then allowed to sit, without a cap, at room temperature for 12 hours (after Lean and Burnison, 1979). Following this, 10 ml of scintillation fluor were added to each sample and the samples were returned to SIO where the radioactivity was determined with a scintillation counter.

Macrozooplankton Net Tows

Macrozooplankton was sampled with a 71 cm mouth diameter paired net (bongo net) equipped with 0.505 mm plankton mesh. Bottom depth permitting, the nets were towed obliquely from 210 m to the surface. The tow time for a standard tow was 21.5 minutes. Volumes filtered were determined from flowmeter readings and the mouth area of the net. Only one sample of each pair was retained and preserved. The biomass, as wet displacement volume, after removal of large (> 5 ml) organisms, was determined in the laboratory ashore. These procedures are summarized in greater detail in Kramer et al. (1972).

Additional Data

Additional data collected but not tabulated in this report include continuous near-surface measurements of temperature, salinity, and "chlorophyll" fluorescence, and vertical profiles of photosynthetically active radiation (PAR) measured with a Biospherical Instruments quantum scalar irradiance meter.

TABULATED DATA

Hydrographic and CTD Cast Data

Hydrographic and CTD cast data are reported together in the order occupied during the cruise. The time reported is Greenwich Mean Time (GMT). For CTD lowerings it is the "start down" time; for wire casts it is the time of the messenger release. Bottom depths, determined acoustically, have been corrected using British Admiralty Tables (Carter, 1980) and are reported in meters. Weather conditions have been coded using WMO code 4501.

Observed and interpolated standard depth data from hydrographic casts have been interspersed and are presented together sequentially by depth. Interpolated or extrapolated standard level data are noted by the footnote "ISL" printed after the depth. Density-related parameters have been calculated from the International Equation of State of Seawater 1980 (EOS80, UNESCO, 1981). Computed values of potential temperature, sigma-theta, specific volume anomaly (SVA), dynamic height or geopotential anomaly, and pressure are included with both observed and interpolated standard depth levels.

Where appropriate, two CTD stations are printed side by side. CTD temperature and salinity are tabulated to closer "standard depth" intervals than the interpolated standard depth hydrographic cast data.

Primary Productivity Casts

In addition to the normal hydrographic information, the tabulated data include: the light levels at which the samples were incubated, the uptake from each of the replicate light bottles (uptake 1 and uptake 2) which have been corrected for dark uptake by subtracting the dark value, the mean of the two uptake values, the dark uptake, chlorophyll-a and phaeopigments. The uptake values shown are the total for the incubation period. The times of local apparent noon (LAN), civil twilight, and the vertically integrated value of the mean uptake from the surface to the deepest sample depth (assuming that the shallowest measured value extends to the surface and that negative values are zero) are also shown for each experiment. The uptake data have been presented to two significant digits (values < 1.00) or one decimal (values > 1.00). The higher production values may not warrant all of the digits presented. Incubation time, LAN, and civil twilight are given in local Pacific Standard Time (PST); to convert to GMT, add eight hours to the PST time.

Secchi Disk Observations


Secchi disk observations were made on most daylight stations. The times are given in local PST (+8) time. Weather codes and cloud observations are also presented.

Macrozooplankton Data

Macrozooplankton biomass volumes are tabulated as total biomass volume (cm³/1000 m³ strained) and as the total volume minus the volume of larger organisms under the heading "Small."

LITERATURE CITED


- Anderson, G. C., compiler, 1971. "Oxygen Analysis," Marine Technician's Handbook, SIO Ref. No. 71-8, Sea Grant Pub. No. 9.
- Atlas, E. L., J. C. Callaway, R. D. Tomlinson, L. I. Gordon, L. Barstow, and P. K. Park, 1971. A Practical Manual for Use of the Technicon^R AutoAnalyzer^R in Sea Water Nutrient Analysis; Revised. Oregon State University Technical Report 215, Reference No. 71-22.
- Brink, K. H., and E. O. Hartwig, 1985. Coastal Transition Zone Workshop Report, Monterey, California, 8-10 May 1985, Office of Naval Research (unpublished document).
- Carpenter, J. H., 1965. The Chesapeake Bay Institute technique for the Winkler dissolved oxygen method. *Limnol. Oceanogr.*, 10: 141-143.
- Carter, D. J. T., 1980. Echo-sounding correction tables. Third Edition. Hydrographic Department, Ministry of Defence, Taunton, U. K., NP 139: 150 pp.
- Holm-Hansen, O., C. J. Lorenzen, R. W. Holmes, and J. D. H. Strickland, 1965. Fluorometric determination of chlorophyll. J. Cons. perm. int. Explor. Mer, 30: 3-15.
- Klein, Hans T., 1973. A new technique for processing physical oceanographic data. SIO Ref. No. 73-14.
- Kramer, D., M. J. Kalin, E. G. Stevens, J. R. Thrailkill, and J. R. Zweifel, 1972. Collecting and processing data on fish eggs and larvae in the California Current region. NOAA Technical Report NMFS CIRC-370: 38 pp.
- Lean, D. R. S., and B. K. Burnison, 1979. An evaluation of errors in the ¹⁴C method of primary production measurement. *Limnol. Oceanogr.*, 24: 799-998.
- Niiler, P. P., R. E. Davis, and H. J. White, 1987. Water following characteristics of a mixed layer drifter. *Deep-Sea Res.*, in press.
- Reid, J. L., and A. W. Mantyla, 1976. The effect of the geostrophic flow upon coastal sea elevations in the northern North Pacific Ocean. J. Geophys. Res., 81: 3100-3110.
- Saunders, P. M., 1981. Practical conversion of pressure to depth. J. Phys. Oceanogr., 11: 573-574.
- UNESCO, 1981. Background papers and supporting data on the International Equation of State 1980. UNESCO Tech. Pap. in Mar. Sci., No. 38.
- Venrick, E. L., and T. L. Hayward, 1984. Determination of chlorophyll on the 1984 CalCOFI surveys. *CalCOFI Rep.*, Vol. XXV: 74-79.
- Weiss, R. F., 1970. The solubility of nitrogen, oxygen and argon in water and seawater. *Deep-Sea Res.*, 17: 721-735.
- Yentsch, C. S., and D. W. Menzel, 1963. A method for the determination of phytoplankton, chlorophyll and phaeophytin by fluorescence. *Deep-Sea Res.*, 10: 221-231.





FIGURES


Cruise SQ86


- 1. SQ86 cruise track and station positions.
- 2a. Tracks of drifters released in study area. The star marks the deployment location.
- 2b. Individual tracks of drifters released in study area. The year date (YD) 76 is 17 March. Deployment location is marked by a star. A cross marks interpolated position at 00:00 (GMT) on consecutive days. The number (62_) designates the drifter transmitter identification in ARGOS system.
- 3. Horizontal distribution of dynamic height anomaly (0 over 500 m). In areas shallower than 500 m, the dynamic heights were extrapolated on the basis of the offshore deeper steric heights as described in Reid and Mantyla (1976).
- 4. Horizontal distribution of sigma-theta at 10 meters.
- 5. Horizontal distribution of temperature at 10 meters.
- 6. Horizontal distribution of salinity at 10 meters.
- 7. Horizontal distribution of dynamic height (200 over 500 m). Shallow water extrapolations as in 3 above.
- 8. Horizontal distribution of sigma-theta at 200 meters.
- 9. Horizontal distribution of temperature at 200 meters.
- 10. Horizontal distribution of salinity at 200 meters.


























THE PROPERTY OF THE PERSON NAMED IN THE PERSON

PERSONNEL

Cruise SQ86

SHIP'S CAPTAIN

Munsch, Phillip L., RV New Horizon

PERSONNEL PARTICIPATING IN THE COLLECTION OF DATA

Hayward, Thomas L. Asst. Research Oceanographer, SIO (Chief Scientist) Marine Technician, SIO Bryan, Walter R. Staff Research Associate, SIO Cummings, Sherry L. Hood, Raleigh R. Graduate Student, SIO Masten, Douglas M. Marine Technician, SIO Asst. Research Oceanographer, SIO Ohman, Mark D. Pillard, Eugene G. Marine Technician, SIO Plummer, Kenneth M. Staff Research Associate, SIO Schmitt, James A. Electronics Technician, SIO Schmitt, Walter R. Staff Research Associate, SIO Sweet, Paul R. Staff Research Associate, SIO Wilkinson, James R. Staff Research Associate, SIO

LATI 35 2	TUDE 4.8 N	LONGITUDE 121 02.0 W	DAY/HO/YR 16/03/86	HESSENG 2327 (GER I	BOTTOM 108 M			VES 10 08	WEATHER 1	BARONE 1006.6		DRY 12.1 C 1		CLOUD AN	T TYPE
CAST	DEPTH H	TEMP DEG C	POT TEMP DEG C	SALINITY	SIGMA THETA		DYN HT	OXYGEN ML/L	OLY PCT	\$103 UM/L	PO4 UM/L	NO3 Um/L	NO2 UM/L	CHL-A UG/L		PRESS D. BAR
1	0	13.26	13.26	33.067	24.845	309.6	.000	6.04	101.3	5.1	. 46	1.5	. 05	.70	.37	0
ı	10	13.03	13.03	33.094	24.911	303.5	.031	6.01	100.3		. 46	1.6	. 05	.69	. 45	10
	20 IS	. 12.88	12.87	33.108	24.953	299.7	.061	5.91	98.3							20
1	21	12.86	12.86	33.110	24.957	299.4	.064	5.90	98.1	6.1	.51	2.5	.07	.75	.55	2 1
	30 IS	. 12.73	12.73	33.143	25.009	294.7	.091	5.75	95.4							30
1	31	12.71	12.71	33.148	25.016	294.1	.093	5.73	95.0	7.0	.60	3.7	.08	.63	.50	31
1	41	12.29	12.28	33.235	25.166	280.1	.122	5.36	88.1	9.7	.77	6.6	.14	. 46	.37	41
	50 IS	. 12.17	12.16	33.251	25.200	277.0	.147	5.28	86.7							50
1	5 2	12.15	12.14	33.254	25.207	276.4	.152	5.27	86.4	10.4	. 84	7.4	. 15	. 43	.35	52
1	63	10.84	10.84	33.531	25.661	233.4	.182	4.24	67.7	18.0	1.31	15.1	. 11	.15	. 22	63
ī	7.2	10.72	10.71	33.546	25.695	230.4	.203	4.18	66.6	18.3	1.34	15.6	.11	.14	. 21	72
-	75 ISI		10.69	33.547	25.700	229.9	.211	4.18	66.5							76
1	83	10.66	10.65	33.548	25.708	229.4	. 228	4.17	66.3	18.5	1.35	16.0	.11	. 12	. 23	83
ī	93	10.61	10.60	33.556	25.722	228.2	. 251	4.14	65.8	19.0	1.38	16.1	. 1 2	. 13	. 26	93
1	99	10.32	10.31	33.621	25.823	218.7	. 267	3.88	61.3	21.4	1.52	18.0	. 1 2	.09	. 3 2	100

RY NEW HORIZON CRUISE SQ86 STATION G 2 NYDRO

LATI	TUDE	LONGITUDE	DAY/HO/YR	MESSEN	ER :	BOTTOM	WIND S	PEED	WAVES	WEATHER	BARONI		DRY		LOUD AN	T TYPE
35 2	2.6 N	121 12.4 W	17/03/86	0120	SMT	389 M	360 0	7 KT 13	0 10 08	1	1007.0) HB	11.4 C	11.0 C	6/8	AS
CAST	DEPTH	TEMP DEG C	POT TEMP DEG C	SALINITY	SIGMA THBTA		DYN HT	OXYGE ML/L		\$103 UM/L	PO4 UM/L	NO3 UH/L	NO2 UM/L	CHL-A UG/L	PHAEO UG/L	PRESS D. BAR
1	0	13.19	13.19	33,053	24.849	309.2	.000	6.21	103.9		.41	. 6		.89	. 45	0
1	10	13.08	13.07	33.086	24.896	304.9			102.7		. 42	. 9	.07	. 96	.50	10
	20 IS	L 13.00	12.99	33.112	24.933	301.7	.061		100.9							20
	30 15		12.91	33.139	24.969	298.5	.091		99.1							30
1	31	12.91	12.91	33.141	24.972	298.2	.094		98.9		.51	2.3			. 5 2	3 1
1	46	12.03	12.02	33.281	25.250	272.1	.136		86.9		.83	7.7	.09	. 3 2	. 25	46
	50 I		11.64	33.356	25.381	259.8			81.3							50
1	61	10.76	10.76	33.547	25.688	230.8	.1/4		67.8		1.29	15.4	.02	. 07	. 11	61
	75 15		10.49	33.662	25.824	218.1	. 206		59.1							76
1	77	10.49	10.48	33.671	25.833	217.3			58.4		1.51	18.6		.04	.08	7.7
1	92	9.91	9.90	33.797	26.029	198.9			49.2		1.76	22.4	.01	.02	.07	92
	100 1		9.65	33.835	26.101	192.2	.257		46.7							101
1	111	9.41	9.40	33.866	26.167	186.2	. 278		45.0		1.89	24.4	.01	.02	.09	112
	125 IS		9.27	33.890	26.206	182.7	.303		43.3							126
1	137	9.19	9.17	33.909	26.237	180.0	.326		42.3		1.99	25.5	.02	.01	.09	138
	150 IS		8.91	33.952	26.313	173.0	.348		41.2							151
1	168	8.51	8.50	34.010	26.422	162.8	.379		40.0		2.08	27.5	.01	.00	. 05	169
	200 IS		8.01	34.036	26.515	154.4	.429		38.7		_					202
1	203	8.00	7.98	34.037	26.521	153.9	. 434		38.6		2.17	28.8		.00	.03	204
1	239	7.71	7.69	34.098	26.612	145.9	. 487		27.9		2.45	31.5	.01	.01	.08	240
	250 IS		7.66	34.108	26.624	144.9	.504		26.3							252
1	279	7.62	7.59	34.126	26.647	143.2	.546		23.7		2.55	32.5	.02			281
	300 IS		7.47	34.139	26.675	140.8	.575		21.9							302
1	326	7.30	7.27	34.156	26.717	137.2	.611		19.4		2.69	33.6				328
1	366	7.00	6.97	34.194	26.789	130.8	.665	. 97	14.3	64.2	2.84	35.4	.03			368

RY MEW HORIZON CRUISE SQ86 STATION G 4 HTDRO

	TUDE 4.7 N	LONGITUDE 121 16.1 W	DAY/MO/YR 17/03/86	MESSEN 0438	GER E GMT	OTTOM 117 M		RED W	VES	WEATHER	BAROME 1010.0		DRY 2.0 C 1		LOUD AM	HALL I
CAST	DEPTH	TEMP DEG C	POT TEMP DEG C	SALINITY	SIGMA THETA	SVA	DYN HT	ORYGEN ML/L	OXY PCT	SIO3 Um/L	PO4 UM/L	NO3 UM/L	NO2 UM/L	CHL-A UG/L	PHAEO UG/L	PRESS D. BAR
1	0	12.83	12.83	33.049	24.917	302.7	.000	6.08	101.0	5.5	.52	2.0	.09	. 46	.33	0
1	10	12.82	12.82	33.051	24.919	302.7	.030	6.04	100.3	5.7	.53	2.3	.11	.71	. 43	10
	20 IS	12.59	12.59	33.124	25.021	293.3	.060	5.79	95.8							20
1	26	12.40	12.40	33.180	25.101	285.9	.077	5.61	92.4	8.4	.73	5.6	. 21	. 40	. 3 3	26
	30 IS	12.31	12.31	33.208	25.140	282.2	.089	5.52	90.8							30
1	36	12.11	12.11	33.256	25.216	275.2	.105	5.35	87.6	9.6	.85	7.3	. 2 2	.33	. 3 1	36
1	46	11.37	11.36	33.396	25.461	252.0	.131	4.82	77.8	13.4	1.08	11.3	. 23	.20	.32	46
	50 IS	11.13	11.13	33.440	25.538	244.7	.142	4.63	74.3							50
1	62	10.60	10.60	33.542	25.712	228.5	. 169	4.22	67.0	17.5	1.35	15.8	. 11	. 11	. 2 2	62
	75 IS	10.09	10.08	33.665	25.896	211.2	. 199	4.02	63.2							76
1	78	10.01	10.00	33.685	25.925	208.5	.204			22.8	1.60	19.8	.08	.06	.20	78
	100 IS	10.00	9.99	33.690	25.931	208.4	. 251	3.67	57.7							101
1	102	10.00	9.99	33.690	25.932	208.4	. 256	3.64	57.1	23.1	1.61	20.1	.09	.06	. 27	103

		LONGITUDE 121 20.4 W	DAY NO. YR	MESSENC	ER E	132 H		KT WA	VES	WBATHER	BAROME		DRY 0.3 C 1		LOUD AM	T TYPE
CAST	DEPTH M	TEMP DEG C	PUT TEMP DEU C	SALINITY	SIGMA THETA	SVA	DYN HT	OXYGEN HL/L	OXY PCT	\$103 UM/L	PO4 UM/L	NG3 UM/L	NO2 UM/L	CHL-A UG/L	PHARO UG/L	PRESS D.BAR
	0 ISL	12,72	12.72	32.754	24.709	325.9	.000	6.07	100.4							٥
1	1	12.72	12,72	32.754	24.709	322.5	.003	6.07	100.4	9.0	.68	3.7	.17	. 19	. 46	1
	10 ISL		12.69	43.037	24.934	301.3	.031	6.00	99.3							10
1	11	12.69	12.58	33.054	24.948	300.0	. 33 4	5.99	99.2	6.8	. 5 9	3.3	.16	.88	. 53	1 1
	20 ISL	12.66	12.00	33.060	24.958	299.3	.061	5.96	98.6							20
1	2 2	12.56	12.65	33.061	24.959	299.2	.067	5.95	98.5	6.8	.60	3.7	.16	. 84	. 47	2 2
	30 ISL	12.35	12.35	33.16	25.101	286.0	. ŭ 9 1	5.60	92.2							30
1	3 2	12.27	12.27	33.193	25.136	282.7	.096	5.52	90.7	9.0	.17	6.2	. 2 G	.39	. 4 2	3 2
1	4.2	12.06	12.06	33.242	25.213	275.5	.124	5.38	88.0	9.9	.85	7.3	. 2 2	.30	.35	42
	50 ISL	11.91	11.90	33.277	25.270	270.3	. 146	5.26	85.8							50
1	5 4	11.81	11.80	33.301	25.308	255.8	.156	5.17	84.2		. 93	8.6	.23	. 24	. 3 2	54
1	63	11.35	11.34	33.410	25.477	250.9	.179	4.74	76.5	13.7	1.11	12.0	. 21	. 19	.36	6.3
1	7.3	10.38	10.37	33.606	25.801	220.3	. 203	3.97	62.8	18.3	1.44	17.9	.03	. 05	. 15	73
	75 ISL	10.24	10,23	33,637	25.848	215.8	.208	3.85	60.8							76
1	94	9.61	9.52	33.775	26.063	195.7	. 246	3.32	51.7	26.1	1.75	22.3	.06	.04	. 22	94
	100 ISL	9.43	9.42	33.50'	26.118	190.6	. 259	3.27	50.7							101
1	114	9.13	9.12	33.843	26.194	183.6	. 285	3.15	48.5	28.3	1.85	24.7	.02	.04	. 29	115
STA	ATION G	5 CTD		RV	NEW HORI	ZCN		CRUISE S	Q86							

LATITU		NGITUDE 1 20.4 W	DAY-MO. 17/03/		TART TIME 0703 GMT	ВОТТОМ 132 М
WIND	SPRED	WAVES W	EA BARC	METER	DRY WE	ET CLOUDS
DBPTH M	TEMP DEG C	POT TEMP DEG C	SALINITY	SIGHA THETA	SVA E	OYN HT PRESS D.BAR
0	12.705	12.671	33.034	24.928	301.6	0.000 0
1 0	12.672		33.053	24.950	249.8	0.030 10
2 0	12.622		33.058	24.964	298.8	0.060 20
3 0	12.493	12.489	33.117	25.034	292.2	0.090 30
4 0	12.104		33.223	25.191	277.6	0.118 40
5 0	11.913		33.270	25.264	270.9	0.145 50
75	9.992	9.175	33.676	25.921	208.8	0.205 76
100	9.186		33.820	26.167	185.9	0.255 101
106	9.127		33.854	26.203	182.6	0.266 107

CRUISE SQ86 STATION G 6 HYDRO RV NEW HORIZON

		LONGITUDE 121 30.6 W	DAY/MO/YR 17/03/86	MESSENG 0857 G		BOTTOM 625 M		BED WA	AVES	WEATHER	BAROME 1013.7		DRY 2.5 C 1		LOUD AM	T TABR
CAST	DEPTH	TEMP	POT TEMP	SALINITY	SIGHA		DYN HT	OXYGEN	OXY		P04	NO3	NO2	CHL-A	PHARO	PRESS
	H	DEG C	DEG C		THETA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	UG/L	UG/L	D.BAR
	0 ISL	13.38	13.38	33.052	24.810	312.7	.000									0
1	2	13.38	13.38	33.052	24.810	313.0	.006									2
	10 ISL	13.39	13.39	33.046	24.803		.031									10 12 20
1	1 2	13.34	13.39	33.044	24.802		.037									1 2
	20 ISL	13.39	13.38	33.048	24.805		.063									20
1	28	13.38	13.38	33.053	24.810		.087									28
	30 ISL	13.19	13.19	33.096	24.881		.094									30
1	43	11.86	11.86	33.389	25.366		.130									43
	50 ISL	11.35	11.35	33.457	25.512		.149									50
1	64	10.68	10.67	33.529	25.688		.181									64
	75 ISL	10.37	10.36	33.627	25.820		.207									76
1	85	10.19	10.18	33.702	25.909		. 227									85
	100 ISL	9.86	9.85	33.769	26.017		. 259									101
1	104	9.77	9.76	33.783	26.043		.268									105
	125 ISL	9.44	9.42	33.843	26.145		.308									126
1	130	9.34	9.33	33.857	26.171		.317									131
	150 ISL	8.75	8.73	33.918	26.314	172.9	.353									151
1	156	8.56	8.54	33.937	26.357		.363									157
	200 ISL	7.90	7.88	34.035	26.534		. 434									202
1	208	7.87	7.85	34.046	26.548	151.4	. 446									209

RV NEW HORIZON CRUISE SQ86 STATION G 7 HYDRO

	TUDE 6.4 N		ONGITUDE 21 29.9 W	DAY/MO/YR 17/03/86	MESSENG 1035 G		BOTTOM 93 M		EED W	AVES	WEATHER	BAROME 1014.0		DRY 2.1 C 1		LOUD AM	T TYPE
CAST	DEPTH M		TEMP DEG C	POT TEMP DEG C	SALINITY	SIGMA THETA		DYN HT	OXYGEN ML/L	C X Y PCT	SIO3 UM/L	PO4 UM/L	NO3 UM/L	NO2 UM/L	CHL-A UG/L	PHAEO UG/L	PRESS D.BAR
	0 15	SL	13.11	13.11	33,114	24.911	303.2	.000									0
1	2		13.11	13.11	33.114	24.911	303.3	.006									2
	10 19	5 L	13.11	13,11	33.110	24.908	303.8	.030									10
I	1 2		13.11	13.11	33.110	24.908	303.9	.036									12
	20 19	SL	13.05	13.05	33.126	24.933	301.7	.061									20
1	2 1		13.04	13.04	33.130	24.938	301.3	.063									21
	30 15	SL	12.85	12.85	33.195	25.025	293.2	.090									30
1	33		12.77	12.77	33.219	25.060	290.0	.099									33
	50 15	SL	12.08	12.07	33.336	25.284	269.0	. 147									50
1	5 4		11.92	11.91	33.360	25.333	264.5	.157									54
	75 IS	S L	11.30	11.29	33.468	25.532	246.0	. 211									76
i	19		11.22	11.21	33.482	25.557	243.ñ	. 220									79

LATITUDE 35 50.8 N	LONGITUDE 121 30.8 W	DAY/MO/YR 17/03/86	MESSENG 1201 G		BOTTON 333 M		EED WA	V B S	WBATHER	BARONI 1014.		DRY 12.2 C 1		LOUD AN	T TEPE
CAST DEPTH	TEMP DEG C	POT TEMP DEG C	SALINITY	SIGMA THETA	SVA	DYN HT	OXYGEN ML/L	OXY PCT	S103 UM/L	PO4 U4/L	NO3 UH/L	NO2 UM/L	CHL-A UG/L	PHARO UG/L	PRESS D. BAR
0 151	13.08	13.08	33.096 33.096	24.904 24.904		.000	6.24	104.2		. 3 9	. 5	.04	1.71	. 5 8	0 1
	L 13.07	13.07	33.096 33.096	24.906 24.906	104.0 304.0	.030	6.25	104.4		. 3 9	. 5	.04	1.74	.50	10 11
	13.08	13.07	33.095	24.904		.061	6.24	104.2		.39	. 5	.04	1.46	.54	20 21
	L 13.07	13.07	33.105	24.913	303.9	.091	6.15	102.7		. 42	. 8		1.46	. 45	30 31
	L 11.55 11.48	11.55	33.443	25.465 25.491	251.8 249.3		4.73	76.7 75.6		1.09	12.0	.08	. 27	. 3 4	5 u 5 1
1 66	10.77	10.76	33.586 33.641	25.718	228.0	.185	4.05	64.6	16.8	1.35	16.6		.08	.19	6 6 7 6
1 76	10.38	10.37	33.644	25.830		.207	3.77	59.6	19.0	1.51	18.7	.03	.05	.18	7 6 9 2
1 92 100 ISI		9.93 9.66	33.737 33.762	26.023	199.6	. 258	3.46	53.9		1.75	22.6		.02	.12	161
1 106 125 181		9.48 9.30 9.30	33.828 33.835	26.152	187.8		3.14	48.6		1.85	24.1		.01	. 12	126
1 127 150 ISI		9.23	33.869	26.197	184.1		2.98	46.0		1.93	24.9		.01	.13	151
1 154 1 175	9.23	9.21 8.98	33.874 33.936 33.955	26.28d 26.315			2.72	41.8	32.1	2.02	26.1		.01	.12	176 262
200 IS:	8.90	8.91	33,957	26.321	173.4	.461	2.64	40.5	33.2	2.06	26.6 27.7				213
1 243 250 ISI		8.55	34.000	26.431	163.5	.526	2.55	38.7			30.5				252 285
1 283	7.93	7.91	34.075	26.562	151.5	.578	2.14	32.1	43.9	2.34	30.3	.01			20)
RV NEW HOR	IZON				C	RUISE SQ8	6						STATION	G 9	HADBO
LATITUDE 35 54.6 N	LONGITUDE 121 33.6 W	DAY/HO/YR 17/03/86	MESSENG 1402 G		BOTTOH 417 M		RED W		WEATHER 1	BAROMI 1015.4		DRY 12.2 C 1		LOUD AM	SC SC
CAST DEPTH	TEMP DEG C	POT TEMP DEG C	SALINITY	S1GMA Theta		DYN HT	OLYGEN ML/L	ONY PCT	S103 UM/L	PO4 UM/L	NO3 UM/L	NO2 UM/L	CHL-A UG/L	PHAED UG/L	PRESS D. BAR
0 ISI	12.86	12.86	32.898 32.898	24.793 24.793	317.4 314.6	.000									C 2
10 ISE		13.05	33.074 33.104	24.892		.031									10 12
	13.01	13.01	33.132 33.167	24.945	300.5	.061									20 28
	12.87	12.86	33.184 33.305	25.013	294.3 274.1	.091									3 G 4 3
	11.81	11.81	33.377	25.365 25.636	261.3 235.8	.147									50
75 ISI 1 85		10.21	33.663 33.766	25.873	213.5	.206									7.6 8.5
100 ISI		9.47	33.840 33.850	26.135	189.0	. 256									101
1 25 131		9.28 9.22	33.884 33.890	26.200 26.214	183.3	.302									126 131
150 ISL 1 156		8.85 8.72	33.952 33.972	26.322	172.1	.347									151 157
200 ISL 1 209		8.15 8.08	34.048 34.052	26.504	155.6	.429									202 210
RV NEW HORI		0.00	34.032			RUISE SQ8	6						STATION	G 10	
LATITUDE	LONGITUDE	DAY/MO/YR	MESSENG	BR i	BOTTOM	WIND SP	BED WA	VES	WBATHER	BARONE	STER	DRY	WET C	LOUD AM	T TTPE
35 58.8 N CAST DEPTH	121 37.1 W	17/03/86 POT TEMP	1531 G SALINITY	MT SIGHA	463 M SVA	310 25 DYN HT	KT 300 OXYGEN	12 08 0XY	1 \$103	1016.5 PO4	NO3	13.3 C 1 NO2	1.9 C	1/8 PHAEO	ST PRESS
H n ter	DEG C	DEG C	32,927	THETA 24.819	314.5	.000	ML/L 6.13	PCT 101.8	UM/L	UM/L	UM/L		UG/L	UG/L	D.BAR
: 2	12.84	12.84	32.927 33.084	24.819	312.1	.006	6.13	101.8	6.3	.56	2.2	. 1 2	.35	. 26	2 10
1 11	12.97	12.97	33.099 33.151	24.927 25.003	302.1	.034	6.08	101.3		. 47	1.3	. 11	. 48	. 25	1 1 2 0
	12.59	12.58	33.232 33.260	25.106 25.139	285.4 282.4	.090	5.67	93.8	6.6	.65	4.6	. 15	.44		30
1 48	11.63	11.62	33.415	25.429	255.1 249.4	.138	4.82	78.2 75.6	10.7	1.00	10.4		. 28	.37	48
1 58	10.73	10.72	33.551 33.729	25.697	229.8	.162	4.18	66.6	16.0	1.34	15.8	.04	.08	. 18	5 0 5 8 7 4
75 ISL 1 89		9.90	33.737	25.983 26.054	202.9 196.5	.199	3.40	53.2		1.76	22.2			.11	7.6
100 ISL		9.56	33.813 33.825	26.098	192.5	. 249	3.10	48.2		1.76	23.2	.03	.02	.11	89 101 105
125 ISL 1 129		9.14	33.913 33.930	26.245	179.0	. 295	2.78	42.8		1.97	25.6			.06	126
1 150	9.01	8.99 8.51	33.956	26.302	174.0	.339	2.60		33.0	2.04	25.6 26.2 27.9	.02	.01	.06	130 151 182
200 ISL 1 212		8.27	34.032	26.474	158.5	. 422	2.40	36.4 35.5		2.22	29.0	.01	.00	.05	202
1 248 250 ISL	7.86	7 . 83 7 . 82	34.082	26.578	149.3	. 497	2.03	30.4		2.37	30.5	.00	.00		250 252
300 ISL		7.57	34.121	26.647	143.5	.572	1.67	24.8	51.9	2.53	32.3	.00			302 307
1 363 400 ISL	7,17	7. 6.86	34.186 34.206	26.759	133.7	.659	1.06	15.6		2.78	34.7	.01			365 403
1 425	6.72	6.68	34.211	26.841	126.5	.741	. 78	11.4	69.5	2.94	36.3	. 0 2			428

22

		LONGITUDE 121 40.5 W	DAY/ MO/ YR 17/03/86	HESSENG 1730 G		0TTOH 545 H			WAVES 0 10 07	WEATHER 1	B/.ROME 1017.0		DRY 13.3 C 1		CLOUD AM	T TYPE ST
CAST	DEPTH M	TEMP DEG C	POT TEMP DEG C	SALINITY	S I G MA TH E T A	SVA	DYN HT	OXYGE ML/L			PO4 UK/L	NO3 Um/L	NO2 UM/L	CHL-A UG/L	PHAEO UG/L	PRESS D.BAR
	0 151	12.94	12.94	33.087	24.924	302.0	.000									0
1	1	14.94	12.94	33.087	24.924	302.1	.003									1
	10 :st	12.92	12,92	33.085	24.926	302.1	.030									10
1	11	12.92	12.92	33.085	24.926	302.1	.033									11
	20 ISL	12.80	12.80	33.163	25.009	294.4	.060									20
1	2 6	12.66	12.65	33.229	25.089	287.0	.077									26
	30 ISL	12.49	12.48	33.266	25.152	281.1	.089									30
1	41	11.97	11.96	33.362	25.325	264.9	.118									41
	50 ISL	11.56	11.55	33.437	25.460	252.3	. 1 4 2									50
1	61	11.08	11.07	33.518	25.609	238.3	. 168									61
	75 ISL	10.43	10.42	33.616	25.800	220.3	.201									76
ı	8.2	10.16	10.15	33.661	25.881	212.8	.215									8.2
1	100	9.69	9.68	33.792	26.063	195.9	. 254									101
1	125	9.25	9.23	33.880	26.204	182.9	.301									126
	150 ISL	8.80	8.78	33.948	26.328	171.5	.345									151
1	151	8.78	8.76	33.950	26.333	171.0	.347									152
	200 ISL	8.15	8.13	34.041	26.502	155.7	. 427									202
1	206	8.09	8.07	34.048	26.516	154.5	. 436									207

RV NEW HORIZON CRUISE SQ86 STATION G 12 HYDRO

	TUDE	LONGITUDE	DAY/ MO/ YR	MESSENG		BOTTOM		SPEED		VES	WEATHER	BAROME	TER	DRY	WET	CLOUD AM	T TYPE
35	54.9 N	121 44.1 W	17/03/86	1925 G	HT	944 M	310	27 KT	310	12 07	1	1017.0	MB	12.9 C	11.3 C	1/8	CU
CAS	DEPTH M	TBMP DEG C	POT TEMP DEG C	SALINITY	S I G M A T H E T A		DAN H.		YGEN IL/L	OXY PCT	S103 Um/L	PO4 UM/L	NO3 Um/L	NO2	CHL-A UG/L	PHABO UG/L	PRESS D.BAR
		2	220 0								OH/L	UN/ L	UH/L	. 06/2	06/1	UG/L	D. DAR
	0 18	12.94	12.94	33.171	24.988	296.0	.00)									0
1	2	12.94	12.94	33.171	24.988	296.0	.00	5									2
	10 IS:		12.93	33.169	24.990	296.0	.03	0									10
1	12	12.92	12.92	33.169	24.990	296.0	.03	5									1 2
	20 IS		12.93	33.171	24.991	296.2	.05	9									20
1	28	12.94	12.94	33.173	24.991	296.4	.08	3									28
	30 IS		12.77	33.204	25.047	291.1	.08	9									30
1	43	11.67	11.66	33.428	25.431	254.8	.12	4									43
	50 IS:		11.33	33.506	25.552	243.5	- 14	2									50
1	6.4	10.91	10.90	33.602	25.705	229.2	.17										64
	75 IS		10.46	33.657	25.825	218.0	.19	•									76
1	85	10.13	10.12	33.699	25.917	209.4	. 220)									8.5
	100 ISI	9.71	9.70	33.793	26.061	196.0	. 25	l									101
1	104	9.61	9.60	33.819	26.097	192.7	. 260)									105
	125 151		9.27	33.893	26.208	182.6	. 298	3									126
1	130	9.23	9.21	33.906	26.228	180.7	. 308	3									131
	150 IS1	9.05	9.04	33.964	26.302	174.1	.343	}									151
1	156	9.00	8.98	33.980	26.322	172.2	.353	ļ.									157
	200 ISI	. 8.38	8.36	34.051	26.474	158.4	. 426	,									202
1	208	8.24	8.22	34.057	26.501	156.1	. 436	ı									209

RV NEW HORIZON CRUISE SQ86 STATION G 13 HYDRO

	TUDE 0.8 N	LONGITUDE 121 41.4 W	DAY/MO/YR 17/03/86	MESSENG 2103 G		30TTON 795 M	WIND 310	S P II	ED WA		WEATHER 1	BARONE 1017.1		DRY 13.9 C 1		LOUD AM	T TYPE
							_				•			13.7 6 1	1.9 0	2/6	CU
CAST	DEPTH M	TEMP DEG C	POT TEMP DEG C	SALINITY	SIGMA THBTA	SVA	DYN	HT	OKYGEN ML/L	OXY PCT	SIO3 Um/L	1:04 UM/L	NO3 Um/L	NO2 Um/L	CHL-A UG/L	PHAEO UG/L	PRESS D.BAR
	0 IS	L 12.96	12.96	33,180	24.991	295.6	. 0	00	6.03	100.5							0
1	1	12.96	12.96	33.180	24.991	295.7		03	6.03	100.5	4.5	.48	1.9	.12	.88	. 46	1
	10 IS	L 12.97	12.97	33.178	24.988	296.2		30	6.00	100.1		• • •	•••				10
1	11	12.98	12.97	33.178	24.987	296.2	. 0	32	6.00	100.1	4.5	. 48	2.0	. 12	. 8 4	.50	11
	20 IS	L 12.94	12.94	33.187	25.001	295.2		59	5.96	99.4				• • • •	.04	.,,	20
1	2 1	12.94	12.94	33.188	25.003	295.1		62	5.96	99.3	4.8	.51	2.3	.12	.85	. 44	21
	30 IS	L 11.94	11.93	33.422	25.376	259.7		87	4.88	79.8			•	•••	.05		30
1	31	11.84	11.83	33.445	25.413	256.2		89	4.78	77.9	11.6	1.02	10.5	.14	. 29	. 35	31
1	40	11.56	11.56	33.488	25.498	248.4		12	4.56	73.9		1.13	12.4	.09	. 2 2	.34	40
	50 IS	L 11,31	11.30	33.539	25.584	240.5		37	4.31	69.6				,		.,,	50
1	5.5	11.14	11.14	33.565	25.634	235.8	. 1	48	4.18	67.2	16.3	1.30	15.0	.04	. 11	. 28	55
1	6.5	10.49	10.49	33.632	25.801	220.1	. 1	71	3.80	60.3	19.5	1.51	18.3	.03	.05	. 18	65
1	7.5	10.31	10.30	33.676	25.867	214.0	. 1	92	3.61	57.0	21.2	1.57	19.6	.04	.04	. 27	75
1	90	9.50	9.49	33.762	26.070	194.9	. 2	23	3.37	52.3	25.4	1.76	22.6	.02	.02	.19	90
	100 :SI	L 9.41	9.39	33.838	26.145	188.0	. 2	43	3.10	48.1						,	101
1	108	9.33	4.31	33.871	26.184	184.4	. 2	58	2.90	44.9	29.4	1.93	24.8	.02	.01	. 12	109
	125 (8)		9.11	33.929	26.263	177.3	. 2	88	2.74	42.2							126
1	128	9.08	9.07	33.937	26.275	176.2	. 2	94	2.72	41.9	32.A	2.02	26.2	.01	.01	.11	129
	150 IS	8.95	8.93	33.969	26.322	172.1	. 3	3 2	2.56	39.3							151
1	153	8.93	8.91	33.972	26.327	171.7	. 3		2.54	39.0	34.3	2.09	26.9	.02	.01	. 10	154
1	183	8.64	8.62	34.007	26.400	165.3	. 3	88	2.45	37.4		2.14	27.9	.00			184
	200 is:		8.36	34.051	26.476	158.3	. 4	15	2.27	34.4							202
1	212	8.20	8.18	34.082	26.526	153.7	. 4	34	2.12	32.0	42.4	2.34	29.8	.00			213
1	246	8.00	7.98	34.128	26.593	147.9	. 4		1.74	26.2	47.2	2,47	31.3	.02			248
	250 ISI	L 7.97	7.95	34.131	26.599	147.4	. 4	91	1.71	25.8		• • • •					252
1	297	7.53	7.50	34.149	26.678	140.5	. 5		1.42	21.1	52.9	2.61	33.2	.01			299
	360 ISI	7.50	7.47	34.150	26.684	139.9	. 5	63	1.40	20.8	,						302
1	352	6.90	6.86	34.172	26.786	130.8	. 6	33	1.04	15.3	62.7	2.83	35.7	.00			354
	400 IS	6.54	6.50	34.201	26.857	124.5	. 6		.78	11.4			,,,,				403
1	438	6.32	6.29	34.223	26.902	120.5	. 7		. 63	9.1	73.8	3.01	38.2	.01			441
	500 IS	6.00	5.96	34.250	26.965	115.1	. 8		. 46	6.7		.		.01			504
1	526	5.88	5.83	34.259	26.989	113.1	. 8		. 42	6.0	82.3	3.13	39.7	.01			530
	600 ISI		5.41	34.276	27.054	107,5	. 9		. 3 6	5.1			.,.,				605
1	616	5.36	5.31	34.278	27.067	106.3	. 9		. 3 5	5.0	92.7	3.22	41.2	.00			621

	11.15 45.4 8		LAY 8. 18	MESSEN.		11 P	wibi se	REL WA	€8	MENTHER	BAROM	ETER	DRY	WET (Leud AF	T TYPE
. 43	L METH	1 ± ≠ ± . ±	e C_IEME	LADINITE	315 8 8 15818	5 V A	. тв. вт	XYSEN ML L	E X Y	SIU3 UM L	P0+ U# 1.	NG3 UM/L	ND2 VM-1	CHL-A UJ-L		PRESS
						. +4.4	. 54.							. 18	. 4 3	С
		6.10		11.11		2.44.8	. 2.6								. 43	1.0
	. :		4 1 1 1 1	11.11.5	. . . •											<u> </u>
		•		15.5		*****	4 4 75							. '6	. 45	2.5
		1.2	**		•6	- 75 · 4	12.91							2.1	_	3 0
				* * * * * * *	25 # F	- `	.119							. 27		4.1 5.0
			. 1 . 1 *				141							.:8	. 1.6	61
			•	* * * * * * * * * * * * * * * * * * *			5									. 6
				11.01	-1.61*	2.8.4	.113							. 55	, 15	82
				11. 5												101
:							.216							i	.11	103
•				11.5.45		11.	. 198									126
				31.7.0		181	. 3 5 4							. 60	.10	129
		7 7.			26.32.		. 343									151
					25.114	11.	1111							. 60	.19	156
			5 11		21.454	125.5										202
					2e 8	158.1	. 433							.00	.07	206

TAIL NEW TOTAL CONTROL OF THE STATE OF THE S

.A.1757E 4.7 8		1AY M. 3E * 15 3 65	Ma lana 1		.IT.M	#1N1 SP 320 27	EEL WA KI 321	1. 54 1. 54	BAROME 1016,1		DRY 1813 1 1		CLOUD AN	T TYPE ST
Alling Street	18.81 28.4	F T LEMP LEV 7	SAUINITE	Elhma Imela	97 A	LYN HT	CXNGEN ML L	3 X Y P C T	964 0M L	NO3 Um L	NO2 UHCL	CHL-A UG/L		PRESS D.BAR
: .		14.16	88 147 78:142 87:141	14.412 14.722 14.413	351.2 502.3 102.6	.335 .30 6 .35						1.11	.50	0 2 10
		1	3: . . ::.1**	14: -11 14:4:	312.1	.36 .360						1.11		1 2 2 0 2 7
•)	i juga	. 1. 1	7.6 (.45 3.1.1.1. 3.1.1.1.	14.7	100.4 294.1 200.9	.1s1 .191 .126						. 96	.49	3 G 4 3
* 3		1 1 1.16	32.*** \$3.500 \$3.000	21.25	241./ 244.2 212.6							. 65	,11	50 63 76
:	4. 41	* * * * * * * * * * * * * * * * * * *	3 1 4 1 5 7 4 1 1 1 8 3 1 4 1 8 1		, 4,8 ,4,9	.2.2						.02		83 101
1 1.3	9.11 9.11 •.51	9.14 9.55 9.49	91.78° 33.835 33.841	26.149 16.110 16.133	197.: 196.9 189.	.260 .361 .31c						.00	.07	104 126 130
152 12	1 9.12	9. *. 9. *.	11.559 31.544	15.194	153.9	.345 .356						.01	.09	151 156
1 118	1 4.11 2.11	# . * · n . î	11.464 14.1 4	. 6. 4 (5 . 6. 4. 6	101.1	.436						.00	.07	202 209

STAIL NO DOLG STEE PLANE PURITIES CRITISE \$166

LATITS		SITUDE SKIL W	1AY MU 14 .3		ART TIMB ISH GMT	B. 11 - M 612 M
# 1 % C	JERFC	PAVES W	EA BAR	METER	IPS WET	JLCUIS
15975	1848 387 /	PAT IEMP SBU C	SALINITY	SIRMA THEIA	SVA DYN I	T FRESS
: *	13,354	13,334	31,080 31,07	24.840 24.837	310.5 0.00 310.6 0.00	
1	13,342	13.339	33,079 33,081	14.5±8 14.839	310.1 0.08 311.9 0.09	93 30
5 .	13.377 12.401 10.902	.3.321 12.395 11.893	33,081 33,261 33,506	24,843 25,164 25,632	310.8 J.11 280.4 0.15 236.4 0.21	59
1.1	10.186	10.174 9.095	33.585	25.896 26.121	211.8 0.23 190.7 0.12	4 101 5 126
115	я. 8.6 м 8.6	9,119 8,859 8,651	33,942 34,616 34,031	25,265 25,37 25,439	177.6 0.37 169.0 0.41 161.8 0.45	4 176
2 2 2	4 . 2 13 4 . 1 . 4	8.250 7.979	34.06; 34.08°	26,499 26,559	155.5 0.49 151.2 0.53	95 227 84 252
1	44.	1.814 1.522 1.266	34,102 14,696 14,178	26.596 26.634 46.735	148.0 0.57 144.7 0.60 135.8 0.61	8 302
•	ର ସଂଗ୍ର ବ୍ୟବ୍ୟ	5.891 5.445	34.215	26.824 26.898	121.3 0.80	.4 403 .5 454
	•	1. 456	14.261	26.414	114.3 0.86	.5 504

	EW HORI	ZON					CR	DISE SO	86						STATIO	N G 17	HYDRO
1ATI1 35 28		LONGITUDE 121 21.4 W	DAY/MO/YR 18/03/86	MESSER 0450	GMT	5 9	92 M		2 KT 33	0 10 06	WEATHER 1		1 MB	DRY 12.0 C		CLOUD A 2/8	CI
CAST	DEPTH M	TEMP DEG C	POT TEMP DEG C	SALINITY	SIG THE		S V A	DYN HT	OXYGE ML/L		S103 UM/L	PO4 UM/L	NO3 Um/L	NO2 UM/L	CHL-A UG/L		PRES D.BA
1	1.0	13.26 13.28 13.20	13.26 13.28 13.20	33.089 33.087 33.100	24.8 24.8 24.8	56 3 183 3	08.0 08.8 06.5	.000	6.21 6.11 6.06	102.5	3.5	.41	.5	.03	1.16	.41	2
1		13.11 11.61 11.61	13.11 11.81 11.60	33.112 33.363 33.407	24.9 25.3 25.4	55 2	304.2 262.1 255.4	.092 .137 .148	6.01 5.00 4.82	8:.4	9.5	. 46	1.4 9.2	.04	.87	.41	
i :	5.6 1	11.39 10.89 10.51	11.39 10.88 10.56	33.453 33.534 33.537	25.5 25.6 25.7	55 2	248.2 234.1 229.0	.162 .198 .208	4.62 4.28 4.27	68.4		1.09	12.1	.03		.19	
:	8	9.81 9.81	9.80 9.82 9.52	33.545 33.720 33.897	25.8 25.9 26.1	83 2	215.8 203.4 186.1	.234 .263 .311	4.25 3.54 2.78	55.4	17.8	1.42	18.1 21.1	.01	.04	.11	
1	126	9.51 9.18	9.50 9.16 9.14	33.902 33.952 33.957	26.1 26.2 26.2	78 1 72 1	185.4 176.9 176.2	.313 .349 .356	2.76 2.64 2.62	42.9	29.4	1.92	24.8 26.0	.01	.04	.09	
1	177 200 ISL	9.04	9.02 8.78 8.70	33.984 34.031 34.044	26.3 26.3 26.4	21 1 94 1	72.8 166.3 164.1	. 403 . 442 . 453	2.51 2.35 2.30	35.9	33.5 37.6	2.08	26.6	.01		.08	20
1	238 250 ISL	8.28	8.26 8.12 7.83	34.067 34.074 34.090	26.5 26.5 26.5	03 1 29 1	56.4 54.1 49.3	.503 .522 .565	2.23 2.18 2.02	33.7 33.0	41.4	2.26	29.4	.01			23 25 28
	300 ISL 341		7.59 7.18 6.89	34.113 34.164 34.216	26.6 26.7 26.8	38 1 36 1 16 1	144.3 135.5 128.6	.59? .654 .727	1.77 1.26 .89	26.3 18.6 13.1	58.3 64.3	2.72	34.4	.01			30: 34: 39:
1	400 ISL 459 500 ISL	6.92 6.57	6.88 6.53 6.11	34.217 34.235 34.252	26.8 26.8 26.9	79 1	28.3 23.2 17.1	.732 .806 .855	.88 .68 .53	9.9	71.7	3.00	37.4	.01			40: 46: 50:
1		5.89	5.84	34.262	26.9		. 13.0	.880	. 44		83.5	3.17	39.5	.02			52
	TION G		DAY MA		NEW H		BOTTO		CRUISE		GITUDE	n.e.	Y/H0/Y	g cT.	STATIOI		СТD ВОТТОМ
LATITU 35 26. WIND	0 N I	ONGITUDE 21 16.4 W WAVES W	DAY, MO/1 18/03/6		O GMT		444 i	4	35 19.4 WIND S	N 121	7.3 W		8/03/8		353 GM	r	347 M
DEPTH	TEMP		SALINITY			DYN HT			320 1 DEPTH			MP SALI	1020.) MB 1	3.0 C 1		
н Э	DEG C	DEG C	33.111	THETA 24.975	297.1	0.000	D.BA		м О	DEG C	DEG C	3 33.		THETA 24.955	299.0	0.000	D.BAR O
10 20 30	12.77 12.79 12.79	5 12.792	33.110 33.114 33.113		297.6 297.8 298.0	0.060	2 ()	10 20 30	12.848 12.853 12.464	12.847 12.850 12.460	33.	110 199	24.959 24.959 25.104		0.060	30
40 50 75	12.23 11.52 10.80	4 11.518	33.258 33.399 33.525		277.3 254.5 233.4	0.145	5 7) 5	40 50 75	11.814 10.702 9.984	11.809 10.696 9.975	33.	572 756	25.347 25.718 25.985		0.116 0.141 0.195	40 50 76
100 125 150	9.81 9.49 9.19	5 9.481 8 9.182	33.749 33.891 33.949	26.173 26.266		0.308	120	i I	100 125 150	9.537 9.181 8.653	9.526 9.167 8.637	33.	926 007	26.140 26.251 26.397	178.4 164.9	0.244 0.290 0.332	
175 200 225	8.95 8.63 8.21	5 8.614 3 8.190	34.005 34.047 34.047	26.433 26.497		0.439	20:	2	175 200 225	8.615 8.532 7.961	8.597 8.511 7.938	34.	022 : 089 :	26.408 26.429 26.568	149.9	0.374 0.414 0.454	176 202 227
250 275 301	7.91 7.62 7.52	8 7.601 2 7.493	34.082 34.108 34.122	26.632 26.658	150.1 144.5 142.4	0.590	27	7 2	250 275 300 349	7.756 7.455 7.205 6.898	7.731 7.428 7.176 6.865	34.	130 : 155 :	26.608 26.674 26.729 26.798	140.4 135.5	0.491 0.526 0.561 0.626	252 277 302 352
350 410 410	7.29 6.94 6.88	0 6.902	34.152 34.204 34.211	26.805	137.8 129.7 128.6		40:	3	,,,,	0.070	0.00	, , , , , ,	,	.0.790	*****	0.020	,,,
STAT	10N S	20 CTD		RV	NEW R	ORIZON	1		CRUISE	sq86							
LAT:TU 35 15.		ONGITUDE 21 19.6 W	DAY/HO/ 18/03/		RT TIME 8 GMT		BOTTO:										
WIND 320	SPEED 17 KT	WAVES W		METER DE	RY W	ET .0 C	CLOUD	s									
DEPTH M	TEME DEU :		SALINITY	SIGMA THETA	SVA	DYN H7	PRES D.BA										
0 10 21	13.13 13.14 13.13	1 13.140	33.104 33.108 33.107	24.900	304.5 304.5 304.8	0.030	1	5									
3 C 4 C 5 C	13.14 13.56 11.62	3 13.139 4 13.059	33.105 33.130 33.374	24.898 24.933 25.397	305.3 302.2 258.2	0.091	3	0									
75 101 125	10.61 10.14 9.17	9 16.61C 1 10.129	33.619 33.760 33.873	25.769 25.962	223.3 205.5 182.2	0.210	10	5 I									
150 175 260	8.85 8.45 8.30	9 8.843 5 8.437	33.926 34.004 34.022	26.302 26.426	174.0 162.6 159.4	0.357	15	1 5									
225 250 275	8.00 7.65 7.57	3 7.980 2 7.62 0 7.543	34.033 34.066 34.164	26.517 26.595 26.637	154.6 147.6 144.0	0.478	22	7 2									
300 350 400	7.41 6.96 6.71	1 7.382 1 6.928 8 6.681	34.119 34.203 34.224	26.672 26.801 26.851	141.0 129.3 125.2	0.588 0.656 0.719	3 30 3 35 3 40	2 3 3									
450 500 514	6.32 5.98 5.85	1 6.281 1 5.917	34.252 34.263 34.284	26.926 26.978	118.5 113.9 110.8	0.780	3 50	•									25

CLOUD A		DRY 12.7 C 1			WEATHER	AVES								
PHAEG	JRL-A UG L	NG.	NG3 VM. L	204 5⊭ 5	8113 18 1	. X t F. T	XYJEN Ml i	, N F	5 • A	r rumma India	A N *	- 1 lets	/ . .	÷ ; *
.38	1.11	2	. 5	. 46										
							5.1							
. 40	1.13	. 5.2	. 5	.41	9		÷ .				1	1.		
							5.19							
. 39	1.09	ئە ب		. 4.1			: .		1.4 8					-
									. 45 1					
.19	.13	4	11.2	1.25	1.	-	4		100			100		
						13.12	4.15	1.4		5 6 1 2	4.0	-		
. 0 9	.04	. 62	15.t	1.30	14.6		4.45				3 46 -	•		
. 08	.03	.02	16.6	1.51	18.6	4	1.56	. 15	110.0		~ .			
						55.5	3.52	. 20	ile.					
.09	.02	. 02	20.9	1.68	22.4	59	1.58			18.188				,
.(8	. C 2	.02	22.9	1.80	24.8	41.4	1, 1,	3	1.46	.5	4 4 5 5 T			1.4
						46	4.94		142.8	. * 41				
.08	.02	.02	23.8	1.89	27.4	44.0	a t	5						. 4
.06	.01	.02	24.6	1.95	29.1	42.5	2.74		180.4	10.10	33, 595	4.53	* .	114
						42.5	2.74	9	160.1			w. * .		125 1
.06	.02	. 0 2	26.2	2.05	32.3	39.8	2,58	. 34	. 6		33. 454	4.13		: •
.06	.01	.05	27.2	2.13	35.1	38.4	2.51	. 3 '	.00.1	.:.356	43 44	8 4		
		. 0.2	27.6	2.13	36.9		2.65	. 4:	160.6	20,444	A - 15	5.34	8 35	1.41
						39.	2.64	. 42	154.0		3			
		.01	28.1	2.19	38.4	39.0	2.58	. 4 4	157 3	460	3 a 3 5 5	N		
		2	29.1	2.21	42.4	⇒ √.8	2 . 2 •		150.2	25.356	3	1.5.		2-4
						38.7	1.6	. 5.5	145.4	25.55			. 4	
			32.8	2.54	51.4	25.5		.51	4			4.7		- 5 '
						22.	1.54		. 18.	20.09	1 4			1.0
		1	نيكف	2.81	6 3	15.9	10.5	. 5 %	133.3	200	14.111			1.4
						11.0	. * *		110.0	25.55	3411			• .
		.01	3	3.05	ಿ ನಿ.:	y. 8	. 5	. * 3	123.1	24.95.	1.0	• . •		
		.02	39.0	3.22	85.0	5.3		. 3.2	111.1		4.4.1.4.1	in .		- + -
						5.3	. 3 '	. 5 .	.10.9		14.24	1.41	7.5	5 .
		.01	40.8	3.26	92.1	4.5	.32	4.7	1.3.6	9				
01 8 0 9 9 98 86 6	PRAE U3	1.9 d JRL-A PHAE UG L U2 1.17 .3 1.13 .4 1.09 .3 .10 .1 .04 .0 .03 .0 .02 .0 .02 .0 .01 .00 .02 .0 .02 .0 .02 .0	12.7 C 11.9 C NO. JRL-A PHAE JM 1 UG 1 UG .02 1.11 .3 .62 1.13 .4 .02 1.09 .3 .14 .10 .1 .02 .04 .0 .02 .03 .0 .02 .02 .0 .02 .02 .0 .02 .02 .0 .02 .02 .0 .02 .02 .0 .02 .02 .0 .02 .02 .0 .02 .02 .0 .02 .02 .0 .02 .02 .0 .02 .02 .0 .02 .02 .0 .02 .02 .0 .02 .02 .0 .03 .01 .0 .04 .01 .0 .05 .01 .0 .06 .01 .0 .07 .08 .01 .0 .09 .001 .00 .00 .001 .001 .00 .00 .002 .002 .001 .00 .003 .001 .001 .00 .004 .001 .001 .001 .005 .001 .001 .001 .007 .001 .001 .001 .008 .001 .001 .001 .008 .001 .001 .001 .009 .001 .001 .001 .001 .002 .002 .001 .002 .002 .002 .001 .003 .001 .001 .001 .004 .001 .001 .001 .005 .001 .001 .007 .002 .002 .001 .008 .001 .001 .009 .001 .001 .001 .002 .002 .001 .002 .002 .002 .001 .003 .002 .002 .002 .001 .003 .002 .002 .002 .002 .004 .002 .002 .002 .005 .001 .002 .002 .005 .001 .002	MB 12.7 C 11.9 C NO3 NO. ORL-A PHAE VM L OM I UG L UG .5 .02 1.17 .3 .5 .02 1.13 .4 .N .02 1.09 .3 11.2 100 .10 15.t .02 .04 .0 20.9 .02 .02 .0 21.9 .02 .02 .0 22.9 .02 .02 .0 24.6 .02 .01 .0 26.2 .02 .02 .0 27.2 .05 .01 .0 28.1 .01 29.1 .02 29.1 .02 32.8 .01 35.0 .01 37.0 .02	PC4 NG3 NG_ CHL-A PHABE DF D VM L DM L UG L UG .40 .5 .02 1.07 .3 .41 .5 .02 1.07 .3 .41 .5 .02 1.09 .3 1.14 .5 .02 1.09 .3 1.15 11.2 .44 .10 .1 1.30 15.6 .02 .03 .0 1.68 20.9 .02 .02 .0 1.68 22.9 .02 .02 .0 1.69 24.6 .02 .00 2.03 25.4 .0 .02 .0 2.13 27.6 .02 .02 .0 2.14 25.4 .0 .02 .0 2.15 327.6 .02 .0 2.15 327.6 .02 .0 2.15 327.6 .02 .0 3.05 37.6 .01 3.05 37.6 .02	1020.0 MB 12.7 C 11.9 C S113 PC4 N03 N04 CHL-A PHABE LM 1 UP D VM L UM 1 UG L UG	1020.0 MB 12.7 C 11.9 C 131 S103 PC4 N03 NC. SRL-A PRABE F.1 M1 UP 1 VM.L UM 1 UG 1 U3 11.11 11.11 1.12 1.41 .5 .02 1.11 .3 11.12 1.41 .5 .02 1.13 .4 11.13 1.41 .5 .02 1.09 .3 11.14 1.5 .02 1.09 .3 11.15 1.61 1.05 11.2 1.4 .12 1.0 13.12 1.40 1.30 15.6 .02 .04 .0 13.12 1.40 1.30 15.6 .02 .03 .0 13.13 1.40 1.51 1.60 .02 .03 .0 13.14 1.40 1.30 15.6 .02 .03 .0 13.15 1.40 1.51 1.60 .02 .03 .0 13.16 1.40 1.30 15.6 .02 .03 .0 13.17 1.40 1.30 15.6 .02 .03 .0 13.18 1.40 1.51 1.60 .02 .03 .0 20.18 1.40 1.51 1.60 .02 .03 .0 20.19 1.40 1.89 23.8 .02 .02 .0 42.0 29.1 1.95 24.6 .02 .01 .0 42.0 29.1 1.95 24.6 .02 .01 .0 38.4 35.1 2.13 27.2 .05 .01 .0 38.4 35.1 2.13 27.2 .05 .01 .0 38.4 2.19 28.1 .02 38.7 2.2 36.9 2.13 27.6 .02 38.7 38.4 2.19 28.1 .02 38.7 2.2 36.9 2.13 25.0 .02 38.7 38.7 2.21 29.1 .02 38.7 38.7 2.21 29.1 .02 38.7 38.7 2.21 29.1 .02 38.7 38.7 2.21 29.1 .02 38.7 38.7 2.21 29.1 .02 38.7 38.8 38.8 38.8 38.8 38.8 38.8 38.8	10 FT 1020.0 MB 12.7 C 11.9 C 1	N N N X X X X X X X			A N 12 0 144	Tright A. N. 12 A. N. 12 A. N. 12 Year Year	

	. 6 . N 1.	801 	IAI M		±هر بـه. دهور بـي		8 115 M	:ATII		43170DE 30.9 W	0A1 MO/ 16/63/		ART TIM		BOTTOM 912 H
•	1885 18 XI	⇔A+S #		Matak IN MP .			di 54.8		SFEE. 12 KI				LRY 5.4 C 1		CLGUDS 0/8
19:18 4	1587	r 1 1881 fr:	. Au. 5.11		2 € \$	I EN W	FRESS 1.BAR	LEPTH H	TEMP CEU-C	POT TEMP TEG C	SALINITY	S1GMA THETA	SVA	DYN HT	PRESS D.BAR
	1 - 4 -				+:				11 184		33.082	24.831	310.8	0.000	v
	13.35			24,500	S	y 1		1	13.365	13.364	33.087	24.639	310.3	0.031	10
	1.4	11.14.	5.3		11			• 2	13.364	13.361	33.088	24.841	310.5	0.062	2.0
	3 + + +	1 4 4	1.1			, ,	: .	٩.	11.351	13.357	33.088	24.842	310.7	0.093	30
		200		4 - 4 - 5 1			4.	4 ,	131.14	13.009	33.179	24.981	297.6	0.124	4.0
		.1.55	33.415	25 425		11.	· .	٠.	11.16	11.76:	33.335	25.341	263.5	0.152	50
	1	17 - 13	31 40				• •	7 -	10.543	16.534	33.532	25.715	228.5	0.213	7.6
	4.441	4,44	11 5			4.5	1 1		v. 121	₩. 116	33.718	26.000	201.9	0.267	101
	1.47	91.45.6		18.140		٠	4	5	4.349	4.3 * 9	33,698	26.195	183.8	0.315	126
	•		100	4 . 4 5				; ·	9,41	9.355	33.926	26.220	181.9		
	+	•• .	* • ·	2.5			•	1.75	5. *c.	8.881	33.971	26.331	171.7	0.405	
	- · · .			·	*	• • .			8 6.4	6.6()	34.036	26.426	163.2	0.447	
									8.235	8.212	34.014	26.515	155.0	0.487	
				. •					•	5.0	34.076	26.583	146.8	0.525	
			4			-				1.511	34.084	26.625	145.1	0.561	2:7
		* *	1	. • -		, 4		4.5%	474	1.455	34.122	6.664	141.8	0.597	302
		, -		. •				* -		1.185	14.19	26.761	133.3	0.666	353
		1.19.4					•	4	7 H =	6.8.1	34.251	840	126.3	0.731	4 U 3
		6	. •				4 1 4	4 5	* . 414	5.341	34.246	26 906	120.4	0.793	454
	5.0		* • .			4	-		* . *	5.464	34 251	30 300	145.1	€.851	5.04
			_										4 2 2 4		

LATI	TUDE	LONGITUDE	DAY/HO/YR	MESSENG		BOTTOM	WIND	SPEED			WEATHER	BARONE		DRY		LOUD AN	
35 3	0.8 N	121 34.7 W	18/03/86	1833 G	HT	883 M	340	10 KT	330	05 07	1	1022.7	MB :	14.6 C 1	2.5 C	3/8	C S
CAST	DEPTH	TEMP DEG C	POT TEMP DEG C	SALINITY	SIGMA THETA		DYN	HT C	NITGEN ML/L	OXY PCT	SIO3 Um/L	PO4 UM/L	NO3 UM/L	NO2 Um/L	CHL-A UG/L	PHAEO UG/L	PRESS D.BAR
	0 IS	L 13.46	13.46	33.087	24.821	312.1	.00	00	6.07	102.2							0
1	2	13.46	13.46	33.087	24.821				6.07	102.2	3.5	. 42	. 5	.02	.58	. 24	2
	10 IS	L 13.42	13.41	33.085	24.828	311.4			6.09	102.4							10
1	12	13.41	13.41	33.085	24.829				6.09	102.4	3.6	. 42	. 5	.02	.60	. 25	12
	20 IS	L 13.40	13.40	33.083	24.830		.00		6.08	102.3							20
1	28	13.39	13.39	33.083	24.831		.01		6.08	102.2	3.6	. 41	. 5	.01	.61	.30	28
	30 IS		13.30	33.098	24.862		. 0		6.03	101.1							30
2	4.3	12.53	12.53	33.228	25.113		. 1		5.57	92.1	5.8	.68	4.8	.07	. 47	.30	43
	50 IS		12.02	33.303	25.269		. 1		5.28	86.3							50
1	59	11.46	11.45	33.390	25.441		. 1		4.91	79.4	10.2	1.04	10.6	.04	. 15	. 19	5 9
1	69	11.09	11.08	33.474	25.574		.1		4.52	72.5	12.5	1.20	13.4	.03	.08	. 12	69
	75 IS		10.93	33.495	25.618		. 2		4.41	70.6							76
1	8.0	10,89	10.82	33.510	25.647	235.1	. 2		4.34	69.3	14.3	1.29	14.9	.02	.06	.10	80
1	95	10.34	10.33	33.631	25.827	218.3	. 2 !		3.81	60.2	18.5	1.51	18.4	.01	.03	.07	95
	100 IS		10.15	33.685	25.900		. 2		3.58	56.4							101
1	110	9.85	9.84	33.776	26.024		. 2		3.21	50.2		1.76	22.1	.01	.02	.07	111
1	1 2 5	9.58	9.57	33.831	26.112		. 3		3.02	47.0	26.6	1.85	23.6	.01	.01	.06	126
	150 IS		8.99	33.898	26.257	178.3	.30		2.94	45.2							151
1	151	8.98	8.96	33.901	26.263	177.7	.30		2.94	45.2		1.95	25.4	. 01	.01	. 05	152
1	172	8.52	8.50	33.952	26.375		. 40		2.94	44.7	32.7	2.00	26.5	.01	.01	.05	173
1	193	8.19	8.17	33.972	26.442		. 4		3.13	47.2	34.3	1.97	26.4	.01			194
	200 IS		8.08	33.979	26.460		. 4		3.10	46.8							202
1	213	7,99	7.97	33.993	26.489		. 4		3.06	46.0	36.7	2.01	27.1	.01			214
1	2 4 5	7.83	7.81	34.048	26.554		. 5		2.44	36.5	41.9	2.26	29.4	.01			246
	250 IS		7.78	34.058	26.566		.5		2.34	35.0							252
1	285	7.61	7.59	34.118	26.642		.50		1.74	25.9	48.9	2.48	31.9	.01			287
	300 IS		7.50	34.139	26.671	141.2	.60		1.55	23.0							302
1	3 4 7	7.23	7.20	34.191	26.754		.60		1.09	16.1	58.4	2.75	34.4	.01			349
	400 IS		6.76	34.219	26.836		.73		.78	11.5							403
1	423	6.60	6.56	34.226	26.869		. 70		.70	10.2		2.95	37.2	.00			426
1	499	5.97	5.92	34.239	26.961		. 8 .		.49	7.0	79.4	3.08	39.0	.00			503
	500 IS		5.92	34.239	26.962		. 8 .		. 49	7.0							504
1	5 7 5	5.58	5.53	34.281	27.043	108.3	. 93	3 9	.36	5.1	88.0	3.17	40.3	.00			579

STATION G 25 CTD RV NEW HORIZON CRUISE SQ86

		NGITUDE			TART TIME		воттон
35 34.	.8 N 12.	1 38.8 ₩	18/03/	86	2035 GM1		H
CNIW	SPEED	WAVES W	EA BARC	METER	DRY W	ET	CLOUDS
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	PRESS
M	DEG C	DEG C		THETA			D.BAR
0	13.324	13.324	33.172	24.913	303.0	0.000	0
10	13.074	13.073	33.171	24.962	298.6	0.030	10
20	13.028	13.025	33.172	24.972	297.9	0.060	20
30	13.002	12.998	33.171	24.977	297.7	0.090	30
40	12.419	12.414	33.274	25.171	279.5	0.119	40
50	11.173	11,167	33.397	25.498	248.5	0.145	50
7.5	10.512	10.503	33.584	25.761	224.1	0.204	76
100	9.832	9.821	33.825	26.065	195.7	0.257	101
125	9.300	9.286	33.899	26.210	182.3	0.304	126
150	8.978	8.962	33.971	26.319	172.4	0.348	151
175	8.568	8.550	34.032	26.431	162.2	0.390	176
200	8.336	8.315	34.059	26.488	157.2	0.430	202
225	8.068	8.045	34.065	26.533	153.2	0.469	227
250	7.619	7.594	34.067	26.600	147.0	0.506	252
2/5	7.452	7.425	34.075	26.631	144.4	0.543	277
360	7.503	7.474	34.147	26.681	140.2	0.578	302
350	7.121	7.088	34.189	26.768	132.6	0.646	353
40.	6.704	6.667	34.219	26.849	125.4	0.711	
	6.18:	6.147		26.912			
500	5.799	5.756	34.229	26.974	114.1	0.831	504
5 1 2	5.726	5.682	34.236	26.989	112.8	0.844	516

	17 18 88.1 N	LUNGIIIIY ILI al t a	183 80 33 16 3 85	##58ENG 1.48 G		BCTTOM BCTTOM	WIND SP 340 06		AVES 1	WEATHER 1	BAROME 1020.7		DRY 15.2 C 1		CLOUD AN	T TYPE
_ A S 7	F + 1 - 5	TEMe . fa	a I laMe 183	SALINITY	SIGMA THEIA	SVA	DYN HT	OXYGEN ML L	OXY PCT	SIO3	FG4 UM, L	NO3 UM; L	NG2 JH L	CHL-A UG/L	PHAEO UG/L	PRESS D. BAR
:		13.3+	1 * . 3 *	: + 63	24.894	3:.4.9	. 000	6.17	103.8	3.2	. 44	. 8	. 05	1.11	. 41	0
:	1	1.5.1		82.159	24.939	302.9	.030	6.19	103.6	3.3	.45	. 9	.05	.86	. 44	10
	2 18		14.27	14.153	24.955	249.6	.060	6.14	102.5							20
-	- 1	13.	1 + 1 2 ±	1.103	24.956	299.6	.063	6.13	102.4	3.4	. 46	1.0	. 0.7	. 96	.56	2 1
	3. 18			+3.162	24.961	199.3	.090	6.09	101.6							3.0
:	3:	1	13.14	10.1	24.961	299.3	.093	6.08	101.5	3.4	. 40	1.2	. 97	. 98	.50	3 1
:	4.2	12.58	1 • 1	43.211	25,025	293.5	. 125	5.90	98.2	4.4	. 54	2.3	. 1 I	.73	.50	4.2
	50.0		11.71	33.410	25.377	260,2	.146	4.91	80.2							50
:	5.		11.09	33 405	25.456	252.2	. 152	4.69	76.3	12.1	1.08	11.2	.07	. 21	. 28	5.2
:	6.3	11	11 12	33.545	25.622	237.1	.179	4.27	68.6	15.1	1.28	14.4	. 03	.11	.20	63
:	* 3	17.5	15	33.531	25.788	221.5	.202	3.84	61.0	18.9	1.49	17.7	.02	.06	.16	73
	15 17		10.42	33.631	25.812	219.2	. 207	3.84	60.9							76
:	9.4	· 32	4.81	33.632	25.916	209.6	. 236	3.87	60.5	20.7	1.58	19.6	.01	. 03	.13	89
	107 18		y, "I	33./34	26.015	200.4	. 260	3.45	53.7							101
:	:::4	4	4.05	33,279	26.052	197.0	. 269	3.26	50.8	24.8	1.79	22.5	. 00	. 02	.06	105
:	124	4.34	1.32	3.856	20.179	185.3	.307	2.96	45.8	28.6	1.91	24.5	. 0 ú	.01	.09	125
	125 13	L 9.33	4.31	33.865	26.182	185.0	.308	2.95	45.7							126
:	150	8 94	3.97	33.939	26.292	174.9	.353	2.74	42.1	31.7	2.01	26.0	.00	.01	.08	151
1	181	8.57	ਰ . 6 5	3 4 . 0 2 1	26.406	164.7	. 405	2.38	36.3	36.4	2.18	27.9	.00			182
	200 IS	L 8.,4	8.52	34.057	26.455	160.3	.436	2.21	33.7							202
:	212	8 45	A . 44	3 - 0 7 4	26.481	158.1	. 455	2.13	32.4	39.9	2.27	28.9	.00			213
ì	2 45	8 . 1 1	5.18	34.104	26.543	152.6	.503	1.97	29.8	43.3	2.35	30.2	.00			244
	250 IS		8.10	34.109	26.560	151.2	.514	1.93	29.1							252
;	283	7.74	7.72	34.126	26.629	145.0	.563	1.74	26.0	48.4	2.48	31.8	.00			285
	300 180		7.59	34.139	26.658	142.4	.588	1.61	24.0							302
:	3.45	7.19	7.26	34.173	26.731	136.1	.650	1.25	18.5	57.2	2.69	34.1	.00			3 4 7
	400 ts:	6.13	5.69	34.208	26.838	126.5	.722	.85	12.5							403
:	421	5. Y	0.45	34.219	26.876	122.9	.749	.73	10.6	70.4	2.95	37.6	.00			424
1	498	5.84	5.80	34.240	26.978	113.8	.840	. 49	7.0	81.3	3.08	39.7	.00			502
	500 131		5.79	34.241	26.979	113.6	. 8 4 2	.49	7.0							504
:	5 7 5	5.49	1.45	34.273	27.047	107.8	.926	.39	5.5	89.6	3.16	40.7	.00			580

CRUISE SO86

STATION S 21 OTE kV NEW HORIZON START TIME 0050 GMT BOTTOM 976 M WIND SPEED WAVES WEA BAROMETER DRY WET CLOUDS IBETH M TEMP DEG C FOT TEME SALINITY SIGHA DEG C THETA SVA DYN HT PRESS D.BAR 12.861 12.823 12.766 12.244 11.746 11.35 10.389 9.266 12.862 12.821 12.769 12.248 11.741 11.141 13.398 9.277 8.975 8.653 13.168 3+.165 33.166 33.384 25.001 25.010 25.019 25.019 25.224 25.381 25.856 26.214 26.476 26.476 26.536 26.605 26.702 294.6 294.1 293.5 274.2 259.4 240.7 215.0 181.5 171.6 162.0 157.9 152.4 146.3 141.1 0.029 0.059 0.087 10 20 30 40 50 76 0.114 0.139 0.1245 0.245 0.290 0.331 0.371 0.417 0.483 0.518 0.552 0.617 0.797 0.739 56 15 33.496 33.081 33.095 34.045 34.055 34.161 34.161 34.161 34.165 34.161 34.165 34.124 34.214 34.217 101 126 151 176 202 227 252 277 125 150 175 8.952 8.653 8.444 7.970 7.912 7.419 7.419 6.508 6.508 6.873 5.848 8.426 7.959 7.968 7.128 7.128 7.128 6.13 6.13 6.13 6.13 6.3 7.4 26.702 26.763 26.817 26.887 26.434 26.498 27.006 137.7 132.6 127.8 121.6 117.6 111.9 302 353 403 454 504

	TUDE 6.0 N	LONGITUDE 121 50.6 W	DAY/HO/YR 19/03/86	MESSENG 0246 G		BOTTOM 1072 M		KT 300		WEATHER 1	BAROM:		DRY 14.2 C		LOUD AI	CC CC
CAST	DEPTH	TEMP DEG C	POT TEMP DEG C	SALINITY	SIGMA THETA		DYN HT	OXYGEN ML/L	OXY PCT	SIO3 UM/L	PO4 UM/L	NO3 UM/L	NO2 UM/L	CHL-A UG/L	PHAEO UG/L	PRESS D.BAR
							.000	6.49	108.5	3.5	. 42	. 4	.04	3.62	1.07	0
1	0	13.09	13.09	33.164	24.953		.030	6.24	103.6		.50	1.4			1.02	10
1	10	12.75	12.75	33.157	25.015		.059	5.93	98.1	4.2	. 50	1	.00	3.04	1.02	20
_	20 IS		12.58	33.172 33.175	25.065		.061	5.90	97.6	7.0	. 64	4.0	.14	1.04	.51	21
1	21	12.57	12.57				.087	5.61	92.4		.04	4.0	. 1 4	1.04	.,,	30
_	30 IS		12.40	33.234	25.141		.090	5.58	91.9		.73	5.6	.18	. 46	.39	31
1	31	12.39	12.39	33.241	25.151		.120	5.18	84.8		.90	8.1	. 21		.31	42
1	42	12.05	12.04	33.335	25.289 25.526		.141	4.68	75.2		. 90	0.1			.,,	50
	50 IS		11.17	33.435			.145	4.57	73.2		1.20	13.2	.05	.15	.19	52
1	5 2	11.00	10.99	33.458 33.537	25.576 25.678	241.2 231.7	.169	4.25	67.8		1.34	15.6			.16	62
1	62	10.77	10.77	33.537	25.781		.194	3.91	62.0		1.48	17.7	.02		.13	73
1	73	10.53	10.52	33.629	25.804		.199	3.84	60.8		1.40		.01	,	,	76
_	75 IS	L 10.47 10.14	10.46	33.029	25.917	209.6	.226	3.52	55.4		1.66	20.2	.01	.03	.11	88
1	88		9.82	33.744	26.001	201.7	.251	3.38	52.8					.07		101
	100 IS	9.76	9.82	33.756	26.024		. 258	3.34	52.2		1.75	22.1	.01	.02	.10	104
1	103	9.78	9.73	33.890	26.198		. 298	2.80	43.3		1.97	25.0			.09	125
1	124 125 IS		9.30	33.894	26.204		.300	2.78	43.1	27.0	1.,,				,	126
	150	8.68	8.67	34.026	26.408		.343	2.35	35.9	37.3	2.18	28.0	.01	.01	. 07	151
1	181	8.33	8.31	34.061	26.490		.392	2.19	33.2		2.27	29.4				182
1	200 IS		8.00	34.079	26.551	151.1	. 422	2.05	30.8		,	.,				202
	212	7.85	7.82	34.092	26.587	147.8	. 439	1.94	29.1		2.41	31.0	.00			213
1	243	7.60	7.58	34.133	26.655	141.7	. 484	1.59	23.7		2.57	32.5	.00			244
	250 IS		7.52	34.138	26.667	140.7	. 494	1.54	22.9							252
1	284	7.29	7.26	34.151	26.714		.542	1.34	19.8		2.70	34.0	.00			286
*	300 IS		7.14	34.164	26.741		.563	1.22	18.0							302
1	346	6.83	6.80	34.203	26.819		.623	.88	12.9		2.89	36.4	.00			348
4	400 IS		6.43	34.225	26.885		.691	.67	9.8		,					403
1	422	6.31	6.28	34.229	26.908		.717	.62	9.0		3.03	38.1	.00			425
1	499	5.57	5.52	34.240	27.011	110.3	.806	. 47	6.7		3.17	40.5	.00			503
•	500 IS		5.52	34.240	27.012		.807	. 47	6.7							504
1	576	5.22	5.18	34.303	27.102		.887	.33	4.7	95.3	3.25	41.5	.00			580
•	3.0	, <u>.</u>	,		3											
STA	TION G	29 CTD		RV	NEW HOR	IZON		CRUISE S	5Q86					STATION	i G 30	CTD

LATITU 35 49.		NGITUDE 1 54.2 W	DAY/MO/ 19/03/		TART TIM 0445 GM		BOTTOM M	1ATITU 35 43		GITUDE 3.7 W	DAY/MO/ 19/03/		ART TIM 639 GM		BOTTO
WIND	SPBED	WAVES WI	BA BARO	METER	DRY	WET	CLOUDS	WIND	SPEED	WAVES W	BA BAR	METER	DRY	WET	CLOUD
DEPTH M	TEMP DEJ C	PUT 1EMP DEG C	SALINITY	SIGMA THETA	SVA	DYN HT	PRESS D.BAR	DEPTH M	TEMP DEG C	POT TEMP DEG C	SALINITY	SIGMA THETA	SVA	DYN HT	PRES D.BA
	13 -54	13.054	33.192	24.982	2 296.4	0.000	0	0	13.293	13.293	33.136	24.891	305.1	0.000	
	13.071	13.070	33.192	24.979	297.0	0.030	10	10	13.301	13.300	33.133	24.888	305.7	0.031	1
2 -	1 6 *	13.764	33.193	24.981	297.1	0.059	20	20	13.221	13.218	33.130	24.902	304.7	0.061	2
1.1	1348	13.044	33.191	24.984	297.1	0.089	30	30	13.084	13.080	33.136	24.934	301.8		
4 .	12.17	12.170	33.325	25.257	271.3	0.118	40	40	13.019	13.014	33.140	24.950	300.6	0.122	
4, 1	11.142	11.186	33.490	25.567	242.0	0.143	50	50	12.212	12.206	33.355	25.273	270.0		
*	10.125	10.144	33.642	25.850	215.6	0.200	76	75	10.920	10.911	33.525	25.643	235.3		7
1.4	9,886	9.875	33.758	26.003	201.5	0.253	101	100	10.236	10.224	33.702	25.901	211.4		
1.1	4.34.	9.326	33.887	26.195	183.8	0.301	126	125	9.637	9.623	33.857	26.123	190.7		
100	4. ; 4	5,998	33.970	26.312	173.1	0.345	151	150	9.203	9.187	33.944	26.262	177.9		
: **	મ, દમેડ		34.021	26.405	164.7	0.387	176	175	8.897	8.878	33.991	26.347	170.2		
÷ 1	9.111	0.352	34.063	26.485	157.4	0.428	202	200	8.583	8.562	34.041	26.436	162.2		
2.4	100	1.892	34.092	26.577	149.0	0.466	227	225	8.366	8.343	34.074	26.495	156.9		
	* * *	6.21	34.123	26.640	143.3	0.503	252	250	7.966	7.941	34.088	26.566	150.4		
	• 1 *	1,144	34.141	26.688	139.1	0.538	277	275	7.303	7.277	34.037	26.622	145.2		27
1			34.153	26.739		0.572	302	300	7.148	7.120	34.090	26.686	139.5		3 (
1	- 4	A	34.170	26.799		0.638	353	350	6.682	6.650	34.098	26.756	133.3		
*		6,219	34.186	26.879	122.1	0.701	403	400	6.631	6.594	34.174	26.823	127.7		40
•		5.928	34.206	26.934		0.761	454	450	6.054	6.015	34.158	26.885	122.0		4 5
	*	. 13	34.231	26.981		0.818	504	500	6.064	6.020	34.214	26.929	118.6		5 0
		F 4	3 4 . 2 40	26.990	112.6	0.831	515	511	5.957	5.912	34.219	26.947	117.0	0.870	

			IAY MU YR 17.3 do	MESSENG 1833 G		вотто н 115° м	WIND SP1 330 06		AVES	WEATHER	BAROME 1023.0		DRY 2.8 C 1		LUUD AH	I TYPE
A S	7 () () () () () () ()		F T IBMP DBG C	SAL . NITY	SIG HA TH B TA	SVA	. YN HT	SXYGEN HL L	OX1 PST	Sic3 CM L	PO4 UM L	NG3 UM 1.	NO2 1 M L	CHL-A UG L	PHABC IJ L	
			: 11	35.162	.4.448	199.7	. 300	6.14	102.							0
	:	1 1 1 1	1::11	. 1. 10.	4.948	299.	. 703	5.14	102 1	4.9	. 4 9	1.1	. 39	. > 6	. 5 %	1
			. 1 1	33.153	24.944	353.4	.036	0.12	102.4							: 0
		4 4 4	1 - 11	33.111	24.944	300.4	. 333	6.12	102.3	A . ¥	. 49	: . '	. 5.9	. > 3	.58	11
			1 . 1	33.150	.4.938	299.3	. 0 e 0	6.08	101.5							2.0
			9.	33.145	24.912	48.4	.081	6.55	1.00.8	5.0	. 70	e	9	i 8	.52	2.7
	* :	2.7	1.7	33.1++	24.972	298.2	. 393	b.U4	100.6							3 Ü
	٠.		1	33.144	24.917	298.1	.125	5.01	100	1.1	.51		. 11	.84	. 5 4	4.2
			11.13	33.233	25.268	270.5	. 148	5.45	86.7							50
:	4, *		10.40	33,338	25.516	245.9	.166	4.94	76.7		1.14	12.2	.03	.17	. 18	5.7
	0.7		1000	33.472	25.624	237.0	.142	4.40	71.1	14.5	1.18	14.	. 52	. 09	. 1 1	6.6
	18 131			13.555	25.689	231.0	. 209	4.11	65.5							7.6
		1 . 5	1 . 1 .	13.50	25.714	228	. 215	3,99	53.7	16.6	1.41	16.6	.02	. 05	.09	7.6
	* *	. 1.	111111	33.706	25.390	217.3	. 248	3.48	55.0	21.0	0 -	4	.01	. 02	.08	93
			10.01	33 •8	25. 20	204.1	. 264	3.31	52.0							101
-			* . * * ·	33. 88	26.048	147.5	.281	3.10	49.4	25.3	, y	24.9	ن د د	. 81	.06	109
:		9.13	9.51	33.853	26.137	189.2	.310	2.93	45.5	28.1	1.90	24.3	. 00	. 01	.06	124
	125	* * :	4.49	33.860	26.147	188.4	.313	2.91	45.2							126
:	. + 7		4.15	33.941	26.268	177.3	.357	2.66	41.0	32.0	1.02	.6.:	0 و .	.1.	.05	150
	150 .90		1.12	33.943	20.272	1.6.9	. 358	2.65	40.9							151
1		4.54	8 . 8 2	33.492	25.358	169.0	. 3 9 3	2.48	38.0	35.3	2.13	27.5	.00	. : 2	.06	171
1		4 . 4 1	6.59	3 4 . 633	26.426	162.9	. 426	2.36	36.0	37.4	2.19	28.5	.00			191
	2.24 2.75	9 1	8 48	34.∪60	26.464	159.5	. 442	2.38	35.2							202
:	2.1.1	4 .	a.35	34.080	26.499	156.3	. 459	2.40	36.4	39.4	2.20	28.9	. ~ .			212
		. +1	1.84	34.0.9	26.536	153.2	5. 7	2.74	41.1	41.Û	2.15	28.6	.00			243
	286 196	. • •	. 5 3	341.18	26.558	151.1	.520	2.72	40.5							252
:	294	1.51	5 85	34.4.11	25.652	142.3	.570	2.6.	38.5	55	2.1"	31.4	.00			286
	. 115			کار بیداد در استان ا مراکز در میشان استان	26.662	139.7	. 5 9 2	2.35	34.5							302
			5	34.144	16.748	134.1	. 654	. 48	11.6	60.3	2.65	35.4	.00			347
	4 11		: _	34 1.6	15.821	127.7	.726	1.06	15.3							403
1		*	55	1.34	.5.348	125.2	5 4	. 9 *	:4.0		1.88	38.1	.00			425
:	494	5 5	•	34.235	.5. 948	116.8	.84	.53	1.6	28.3	3.67	39.5	.00			503
	514 181	5	A.C.	3 - 1 - 3 5	20.949	115.	. 348	.53	7.6							504
:	1.5	٠ - ٠	. 4 5	34,146	17.166	105.9	. 93.2	. 3.3	٩. ١	H9.4	3.21	41.2	.00			580

CRUIDE RQ86 STATION 6 33 CTD 1ATITUDE 10NGITUDE 35 31.8 N 121 51.6 W 19 03/86 1136 GMT 1031 M 1 - 3 - 8 1 WIND SPRED WAVES WEA BAROMETER DRY CLOUDS - 2 A SARUMELER CLOUDS WAVES 1022.9 MB 12.9 C 12.5 C 240 J3 KT FIT DEMP SAUINITY (1944 THETA SVA INN ET PRESS TEMP FOT TEMP SALINITY SVA DYN HT PRESS DEPTH SIGMA SEG (198 . C.ONC 198 . C.ONC 198 . C.ONC 197 . S.OSS 197 . 12. 429 14. 429 14. 485 12. 73 4 15. 47 3 4. 15. 47 3 4. 15. 47 3 4. 15. 47 3 5. 54 2 7. 78 1 7. 78 9 7. 78 9 13.13 + 13.14. 23.14. 23.137 23.131 33.159 12.41 19.099 13.098 24.944 33.154 300.1 0.000 26.044 26.403 26.044 26.044 26.044 26.044 13.104 12.963 12.941 11.808 13.103 12.960 12.937 11.803 33.154 33.154 33.154 33.151 33.417 24.942 24.971 24.978 25.397 0.030 300.6 21 3 45 51 12.ds5 12.431 12.752 11.546 4.246 4.11.5 8.542 8.542 8.742 7.641 298.0 20 297.6 257.9 0.090 33.451 33.630 33.765 33.833 33.931 33.931 33.475 33.606 33.675 33.801 33.883 0.118 0.143 0.202 0.255 0.304 0.351 0.395 0.436 11.529 10.423 9.724 9.295 9.184 50 76 101 11.535 10.432 9.735 25.493 25.792 25.964 249.1 221.1 105.3 189.7 182.4 169.2 163.3 155.4 101 126 151 176 26.132 26.214 26.357 9.309 9.200 8.233 8.561 8.276 7.241 7.385 6.459 33.976 34.022 34.016 34.092 8.714 8.540 8.253 33,993 34,011 34,011 34,119 14,10, 14,10, 14,146 14,146 26.404 26.443 25.05 25.05 25.05 26.05 26.07 202 26.424 26.510 26.56 7,459 150.4 145.7 141.4 0.514 34.16 34.16 34.19 34.222 26.627 6 351 6 351 16.670 26.754 26.817 3 L . 153 403 0.722 0.722 0.784 6.844 6.880 134.0 5 5 4 5 5 4 7 1 4 403 6.418 6.418 6.004 34.230 34.233 34.212 26.890 26.946 26.982 122.0 3 4

	TUDE 27.8 N	LONGITUDE 121 41.0 W	DAY/NO. YR 19/03/86	MESSENG 1323 G		BOTTOM 1146 M		RED WA	AVES	WEATHER	BAROH 1023.		DRT 2.8 C 1		LOUD AF	IT TYPE
CAST	DEPTH M	TEMP DEG C	POT TEMP DEG C	SALINITY	SIGMA THETA		DYN HT	OXYGEN ML/L	OXY PCT	SIO3 UM/L	PO4 UM/L	NO3 UH/L	NO2 UM/L	CHL-A UG/L	PHAEO UG/L	PRESS D. BAR
	0 151	. 13.19	13.19	33.126	24.905	303.8	.000	6.16	103.2							0
1	1	13.19	13.19	33.126	24.905			6.16	103.2		43	. 5	.02	. 96	.54	1
•	10 151		13.20	33.124	24.901		.030	6.16	103.2							10
1	11	13.20	13.20	33.124	24.901		.033	6.16	103.2		. 43	.5	.02	.88	.62	11
•	20 151		13.15	33.122	24.909		.061	6.13	102.6							20
1	26	13.12	13.12	33.120	24.914		.079	6.11	102.2	3.4	. 44	. 7	.04	.87	. 46	26
	30 ISI		12.99	33.143	24.958		.091	6.00	100.0		• • •					30
1	41	12.47	12.46	33.240	25.135		.123	5.56	91.8		.69	4.8	.08	.39	. 40	41
•	50 151		11.74	33.360	25.364		. 148	5.03	81.9							50
1	56	11.36	11.36	33.439	25.496		.162	4.70	75.9		1.12	11.6	.04	.13	.18	56
1	66	11.24	11.23	33.538	25.596		.187	4.27	68.8	13.8	1.26	14.1	.02	.10	.15	66
•	75 ISI		11.03	33.579	25.665	233.3	.209	4.06	65.1	••••						76
1	76	11.02	11.01	33.581	25.670		.210	4.05	64.9	15.6	1.38	15.7	.02	.08	. 11	76
î	91	10.34	10.33	33.662	25.852		. 244	3.68	58.2		1.56	19.1	.00	.02	.06	91
•	100 ISI		9.96	33.738	25.975		. 263	3.38	53.0							101
1	106	9.76	9.74	33.788	26.049		. 276	3.19	49.8	24.7	1.80	22.7	.00	.01	.05	107
i	121	9.45	9.44	33.855	26,152		.305	2.96	45.9		1.90	24.3	.00	.00	. 0 4	122
•	125 ISI		9.39	33.867	26.168		.312	2.92	45.3							126
1	146	9.21	9.19	33.922	26.244		,351	2.74	42.3	30.6	1.99	25.7	.00	. 0 1	.03	147
•	150 ISI		9.14	33.934	26.261		.357	2.70	41.7							151
1	167	8,93	8.92	33.985	26.337	171.0	.387	2.54	39.0	33.7	2.10	26.9	.00	.01	.03	168
1	187	8.66	8.64	34.019	26.406	164.8	. 421	2.44	37.2	36.5	2.15	27.7	.00			188
-	200 ISI		8.35	34.028	26.458	160.0	. 442	2.51	38.1							202
1	208	8.20	8.18	34.033	26.488		. 454	2.55	38.5	39.3	2.16	28.6	.00			209
1	239	7.92	7.89	34.074	26.563	150.6	.502	2.21	33.2	43.6	2.32	30.1	.00			240
•	250 ISI		7.80	34.095	26.593	147.9	.519	2.02	30.2							252
1	279	7.59	7.56	34.144	26.666	141.4	.561	1.54	22.9	51.5	2.58	32.6	.00			281
-	300 ISI	7.45	7.42	34.161	26.699	138.5	.590	1.36	20.3							302
1	341	7.21	7.17	34.178	26.748		.646	1.15	17.0	58.5	2.75	34.9	.00			3 4 3
-	400 ISI	. 6.87	6.83	34.204	26.815	128.7	.723	.82	12.0							403
1	417	6.76	6.75				.745	.74	10.8	67.1	2.93	36.8	.00			420
ī	494	6.14	6.09	34.244	26.944	117.2	.839	.57	8.2	75.9	3.01	38.6	.00			497
	500 ISI	6.09	6.05	34.248	26.952	116.5	.846	.55	8.0							504
1	569	5.69	5.64	34.289	27.036	109.0	.924	.36	5.1	86.2	3.17	40.5	.00			573

STATION G 35 CTD RV NEW HORIZON CRUISE SQ86

LA	T	ΙT	U	D	E				L	0	N	G		Τ	U	D	E						1	D,	A	Y	/	M	o	7	¥	R					5	1		R	1	•	1	1	M	E							В	o	Ţ	T	0	Ħ	
35		2 4		ı	ı	¥			1	2	1		4	3		8		W							1	9	/	0	3	1	8	6						1	. 5	٥	8			G	H	T							1	1	6	5		M	
ΨI	N	D		\$	P	E	2	•					A	٧	5	S					Z.	٨																																			D	S	
2	Ĵ	0		0	:	i	1														С						1	0	2	4	•	2		۲	LB			1	4	٠.	C)	C	:	1	3	•	2		C	:		0	/	8				
5 E	P	TH				ΓĚ	. H	P					P	c	1		T	E	H	P		\$.	A I	Ļ	I	N	I	T	Y			s		G		,						5	v	,			D	7	N	i	н	1		P	R	E	s	s	
	M				1) E	G		С					D	E	G		c														1	١,	1	1		ı																	D		B	A	R	
		Ç.				3	١.	5	0	6				1	3		5	0	6				3	3		0	8	8				2	. 4	١.	6	1	2	ļ			3	1	. 2		7			C	١.	C	0	0)					0	
	:	С				. 3	١.	5	1	2				1	3		5	1	ı				3	3		Q	8	7				2	4	٠.	ε	1)			3	1	. 3	١.	. 2			0	١.	C	13	1					1	0	
	2	ć.				3	١.	4	. 5					1	3		4	5	4				3	3		0	9	٥				2	4	٠.	е	1 2	2	ŀ			3	1	. 2	١.				Q	١.	C	6	3					2	0	
		.,				1	١.	3	8	2				1	3		3	7	8				3	3		0	8	9				2	4	١.	8	1 3	8	,			3	1	1		G			Ç	١.	C	9	4					3	0	
	4	0				1 3	١.	3	8	2				1	3		3	7	6				3	3		٥	8	7				2		٠.	8	1 3	7	,			3	1	. 1		4	,		0	١.	1	2	5					4	٥	
	5	С				1 3	١.	2	9	3				1	3		2	8	6				3	3		1	0	4				2	4	٠.	8	16	8	ţ			3	c	8	١.	7			0	١.	1	5	6	,				5	0	
	7	5				1 (١.	8	7	7				1	C	٠.	8	6	8				3 :	3		4	9	3				2	5		6	. 2	: 6	,			2	3	7		a	,		0	ĺ.	2	2	4					7	6	
1	0	0				l	٠.	3	3	4				1	c		3	2	7				3	3		6	5	5				2	. 5	٠.	8	4	6	,			2	1	6	٠	5			0	i.	2	8	1				1	0	1	
1	2	5					٠.	3	5	4					ç	١.	3	4	0				3	3		7	4	7				2	: 6	٠.	Ċ	8	3	,			1	9	4	٠.	4	,		0	ı.	3	3	2	!			1	2	6	
		Ċ				9	١.	ò	4	6					9	١.	0	3	0				3	3		9	5	1				2	6	٠.	2	9	2	!			1	. 7	5		C	ŀ		0	١.	3	7	8	ı			1	5	1	
1	ż	5				٤	١.	9	0	2					8		8	8	3				3 .	4		0	0	2				2	6	٠.	3	5	5	,			1	6	9	١.	4			0	١.	4	2	1				1	7	6	
2						8	١.	5	3	8					8		5	1	7				3 .	4		٥	4	7				2	6	٠.	4	4	8	,			1	6	1		1			0	١.	4	6	3				2	0	2	
2	2	5				8	١.	1	3	6					8		1	1	3				3	4		٥	7	3				2	6	٠.	5	2	9	•			1	5	3		6			0		5	0	2				2	2	7	
2	5	G				7	٠.	8	6	6					7		8	4	1				3 .	٠		0	ý	5				2	6	٠.	5	8	7				1	4	8		5			0	١.	5	4	0	•			2	5	2	
2	7	5				7	٠.	6	5	3					7		6	2	6				3 .	4		1	1	5				2	6	٠.	6	3	4	,			1	4	4	٠.	3			0		5	7	6				2	7	7	
3	٥	٥				7	٠.	4	3	2					7		4	0	3				3 .	4		1	2	0				2	6	٠.	6	6	, ,)			1	4	1		2			0	١.	6	1	2				3	0	2	
3	5	Ġ				7	٠.	1	5	4					7		1	2	1				3 .	4		1	9	8				2	ŧ	٠.	7	7	¢)			1	3	2		3			0		6	8	0)			3	5	3	
4	o	0				6	٠.	6	9	3					6		6	5	6				3,	٠		2	1	2				2	6	٠.	8	4	5				1	2	5		7			0	٠.	7	4	5				4	0	3	
4	5	0				é	٠.	4	5	9					6		4	1	8				3 .	4		2	5	3				2	6	١.	ç	0	8	,			1	2	0	١.	2			٥		8	0	6				4	5	4	
5	0	0				ć	٠,	1	7	0					6		1	2	5				3 4	4		2	6	4				2	6	٠.	9	15	5	,			1	1	6		3			0		8	6	6				5	0	4	
5	3	1				5		9	2	6					5		8	8	С				3 .	4		2	8	1				2	7		C	O	C)			1	1	2		2			٥		g	0	1				5	3	5	

	TUDE	LONGITUDE	DAY 'HO, YR 19/03/86	MBSSENG 1657 G		BOTTOM 1017 M	WIND 140			AVES 02 09	WEATHER O	BAROM1		DRY 14.8 C 1		LOUD AM	T TYPE
٠,٠,٠	20.6 N	121 39.4 W	19/03/86	1057 6	. H 1	1017 H	140	0 /	k1 520	02 09	U	1024.2		14.6 C	12.0 C	0/0	
CAS	HINAGC T	TEMP Deg C	POT TEMP DEG C	SALINITY	SIGMA THBTA		DYN	HT	OXYGEN ML/L	OXY PCT	SIO3 UH/L	PO4 UM/L	NO3 Um/L	NO2 Um/L	CHL-A UG/L	PHAEC UG/L	PRESS D.BAR
	0 19	L 13.58	13.58	33.098	24.804	313.5		000	6.19	104.5							0
:	: 1	13.58	13.58	33.098	24.804			003	6.19	104.5		.37	.0	.01	.72	.28	1
•	10 IS		13.54	33.095	24.81!	313.0		031	6.21	104.7							10
1	11	13.53	13.53	33.095	24.612	312.9		034	6.21	104.7	2.6	.37	.0	.01	.70	.30	11
	20 : 8		13.46	33.094	24.826	311.9		063	6.18	104.0							20
:	2 1	13.41	13.41	33.094	24.836	311.1		084	6.14	103.3	2.7	.38	.0	. 0 1	1.25	. 42	2.7
	3 C I S	L 13.40	13.40	33.094	24.838	311.0		094	6.13	103.1							3 G
1	4.2	13.38	13.38	33.096	24.844	310.8		130	6.09	102.4	3.3	.38	. 1	.03	1.03	.42	42
	50 15	1 12.75	12.74	33,221	25.066	289.8		155	5.61	93.1							50
:	5.8	11.92	11.9:	33.333	25.313	266.5		177	5.15	84.1	8.7	.89	8.2	.05	.10	. 21	58
1	5 5	10.76	10.75	33.329	25.519	247.0		202	5.03	80.1	10.5	1.07	11.3	.03	.06	. 1 2	6.8
	75 15	10.50	10,49	33.368	25.594	239.9		220	4.88	77.3							76
:	. 8	10.47	10.46	33.387	25.615	238.0		226	4.81	76.1	12.2	1.18	13.3	.02	.05	.10	7.8
1	94	10.19	10.18	33.563	25.800	220.8		263	4.15	65.3	17.3	1.41	17.4	.01	.02	.08	94
	100 IS	L 10.04	10.03	33.616	25.867	214.6		277	3.95	62.1							101
:	108	9.82	9.81	33.673	25.948	207.0		295	3.74	58.4		1.61	20.5	.01	.01	.07	109
1	124	9.40	9.39	33.766	26.090	193.7		3 2 6	3.41	52.8	25.1	1.75	23.0	.01	.00	.06	125
	125 IS	2 9.39	9.38	33.770	26.095	193.3		3 2 8	3.39	52.6							126
1	149	9.11	9.09	33.900	26.242	179.7		373	2.91	44.8	30.3	1.93	25.4	.03	.00	. 0 5	150
	150 IS	2 9,09	9.08	33.903	26.248	179.2		374	2.90	44.7							151
1	1 1 2	8.68	8.66	33.977	26.371	167.8		409	2.74	41.8		2.04	27.0	.01	.00	.05	171
1	191	8.51	8.50	34.036	26.443	161.3		443	2.40	36.5	37.9	2.17	28.5	.01			192
	200 18	1 8.40	8.38	34.044	26,467			458	2.40	36.5							202
1	212	8.25	8.22	34.048	26.493	156.9		476	2.41	36.4		2.21	29.0	.01			213
1	243	8.03	8.01	34.081	26.552	151.7		524	2.12	31.9		2.31	30.5	.00			244
	150 18	1.94	7.91	34.086	26.569	150.2		535	2.06	30.9							252
:	197	'. 5 à	1.52	34.105	26.642	143.7		583	1.79	26.6	49.3	2.47	32.4	.00			284
	300 15	1.43	7.40	34.121	26.671			608	1.63	24.3							302
:	3.45	2.1	7.18	34.162	26.734			670	1.26	18.6		2.69	34.7	.00			3 4 7
	⊶30 ls		6.72	34.193	26.821			743	.89	13.0							403
:	→21	6.58	6.54	34.205	26.854			769	.77	11.2		2.94	37.6	.00			424
:	44.	6.35	6.01	34.267	26,972			862	. 45	6.5		3.11	39.6	.00			502
	500 IS		6.00	34.268	26.974			864	. 45	6.4							504
:	1.14	5.61	5.56	34.297	27.052	107.4	•	946	. 33	4.7	87.3	3.19	41.0	.00			578

STA	717 N G 3	CTD			RV NEW H	ORIZON	•	CRUI	SE SQ86				STATIO	N G 38	CTE
LATIT		NG113DE 1 35.9 W	DAY/HO/ 19/03/		TART TIME 1923 GMT		BOTTOM 839 M	LATIT 35 12		NGITUDE 1 31.8 W	DAY/MO/ 19/03.		ART TIM		BOTTOM 715 M
	SPEED C3 KT			METER ./ MB 1	DRY W	ET .4 C	CLOUDS 0/8	WIND 190	SPEED 05 KT	WAVES 1	EA BAR	OMETER	DRY		CLOUDS 0,8
CEPTH M	TEMP DEG (PCT TEMP DBG C	SALINITY	SIGMA THETA	SVA	DYN HT	PRESS D.BAR	DEPTH M	TEMP DEG C	POT TEMI DEG C	SALINITY	SIGMA THETA	SVA	DYN HT	PRESS D.BAR
	15.64	13.6-	33.121	24.808	313.0	0.000	0	0	14.233	14.233	33.126	24.691	324.1	0.000	G
1		11.490	33.117	24.837	310.5	0.031	10	10	13.450	13.449	33.119	24.847	309.6	0.032	10
	13,446	:3.333	33.101	24.856	309.0	0.062	2.0	20	13.306	13.303	33.115	24.873	307.4	0.063	20
1	14.414	14,445	33.108	24.861	108.8	0.093	3.0	30	13.284	13.280	33.116	24.878	307.1	0.093	30
4	13.43	13,331	33.108	24.862	309.0	0.124	40	40	13.275	13.270	33.119	24.883	307.0	0.124	40
-	13.111	13,114	33.117	24.914	304.2	0.155	5.0	50	12.762	12.755	33.216	25.060	290.4	0.154	50
* 5	11.123	11.119	33.295	25.427	255.9	0.225	7.6	7.5	10.987	10.978	33.475	25.592	240.2	0.229	. 6
1	1 23.5	10.223	33.550	25.782	222.6	0.284	101	100	10.064	10.053	33.610	25.858	215.3	0.277	101
1.25	4.5.54	9.525	33.209	26.024	200.0	0.337	126	125	9.766	9.752	33.780	26.041	198.4	0.329	126
150	4.133	4.11?	33.844	26.195	184.2	0.385	151	150	9.105	9.089	33.881	26.228	181.1	0.376	151
1.15	8 585	8.668	33.973	26.366	168.3	0.425	176	175	8.475	8.457	33,945	26.377	167.2	0.420	176
	A	8 1 - 4	34.534	26.456	160.2	0.470		200	8.168	8.148	33.993	26.461	159.6	0.461	202
	8	8 118	54.154	26.513	155.2	0.510	227	225	7.803	7.781	34.023	26.539	152.5	0.500	
- ·	1.4.2	1 . 1 · 1	34.153	25.599	4	0.548		250	7.725	7.700	34.060	26.580	149.0	0.537	
- ' '		512	34.114	20.649	142.8	0.584		275	7.528	7.501	34.074	26.619	145.6	0.574	
		5	14.141	26.698	138.5	0.619	302	300	1.498	7.469	34.113	26.655	142.7	0.610	3.3.2
1	1,576	4 -	3 4 . 1 9 1	26,181	131.3	0.686		350	1.133		34.173	26.754	133.9	0.679	
4	6.6.6	5.634	34.111	26,846	125.6	0.751		400	6.822	6.785	34.224	26.837	126.6	0.744	463
4 5 .	5 4	6 16	34.247	26.909	126.1	0.812	454	450	6.494		34.245	26.898	121.3	0.806	45.4
	. 14.		34.244	26.968	4 . 8	0.8.1	504	500	5.451	5,907	34.277	26.993	112.4	0.865	5 U 🛦

CRUISE SQ86 STATION G 39 CTD

LATIT		ONGITUDE 21 28.5 W	DAY/MO/ 19/03/		ART TIME		BOTTOM M										
MIMD	SPEED	WAVES W	EA BARO	METER I	RY V	ET	CLOUDS										
DEPTH M	TEMP DBG C		SALINITY	SIGMA THETA	SVA	DYN HT	PRESS D. BAR										
0 10	14.59	7 13.436	33.086 33.077 33.075	24.584 24.817 24.840	312.5	0.000 0.032 0.063	0 10 20										
20 30 40	13.31 13.30 13.23	3 13.299	33.080 33.109	24.847	310.1	0.095	3 0 4 0										
50 75	12.38	5 12.378 2 10.863	33.271 33.544	25.175 25.667	233.1	0.155	50 76										
100 125 150	10.11 9.59 8.86	1 9.577	33.669 33.799 33.861	25.895 26.085 26.251	194.2	0.274 0.325 0.372	101 126 151										
175	8.55	0 8.532	33.921 33.988	26.346	170.1 161.2	0.415	176 202										
225 250	7.88	7 7.583	34.003	26.511 26.564 26.621	150.4	0.496 0.535 0.572	227 252 277										
275 300 350	7.43 7.40 7.11	8 7.379	34.059 34.112 34.172	26.667 26.756	141.5	0.607	302										
400 450	6.75 6.38	1 6.714 7 6.346	34.224 34.250	26.846 26.916	119.5	0.741 0.802 0.841											
483	6.24		34.258	26.941	117.4	0.841		15 E 5Q	1.6						STAT10N	6 •0	HYDRO
LATI	NEW HORI	LONGITUDB	DAY/MO/YR		BNGER	BOTT	OM W	IND S	PEED		FATHER	BAROMET		DRY	WET C	LOUF AM	
.5 0	2.5 N	121 38.2 W	20/03/86					240 0 DYN HT	4 KT 29 OXYGE		0 \$103	1022.3 PO4	MB 1	6.2 C 1 NO2	3.5 C	C/8	PRESS
CASI	DEPTH M	TEMP DEG C	POT TEMP DEG C	SALINI	THI	ATA			ML/L	PCT	UM/L	UM/L	UM/L	UM/L	ne r	UG/L	D. BAR
1 1	0 10	14.59	14.59	33.022 33.023 33.041	24.5 24.6 24.7	93 3	39.0 24.3 17.4	.000 .033 .065	6.10 6.13 6.14	104.0	3.4	.40	. 1	.00	.36	. 1 7	0 10 20
1	2 1	13.55 13.53 13.48	13.54 13.53 13.47	33.043 33.052	24.7	71 3	17.1	.068	6.14	103.5	3.4	. 40	. 1	.00	.62	.50	2 1 3 G
1	3 1 4 2	13.48 13.32	13.47	33.054 33.107	24.7	65 3	15.4	.100	6.10	101.1	3.4	.41	. 1	.01 .06	.73	.53	31 42 50
1	50 ISL 52 63	12.42 12.23 12.03	12.42 12.22 12.02	33.187 33.206 33.298	25.1 25.1 25.2	54 2	86.4 81.4 71.3	.158 .163 .193	5.78 5.72 5.41	93.9	5.4 7.0	.67 .80	4.2 6.7	.07	.51	.41	5 2 6 3
1	73 75 ISL	11.68 11.55	11.67 11.54	33.326 33.333	25.3 25.3	52 2 81 2	63.1 60.4	.220	5.26 5.21	85.4 84.4	8.1	. 90	8.2	. 03	. 2 2	. 24	73 76
1	89 100 ISL 105	10.82 10.49 10.33	10.81 10.48 10.32	33.415 33.572 33.650	25.5 25.7 25.6	56 2	42.0 25.1 16.9	.260 .287 .299	4.79 4.15 3.85	65.7	12.2	1.16	12.8	.02	.09	.13	89 101 106
1	124 125 ISL	9.33 9.31	9.32 9.30	33.782 33.786	26.1 26.1	14 1	91.4 90.9	.338 .339	3.49	54.0 53.8	25.7	1.76	22.8	.00	.00	.03	125 126
1	150 181 200 ISL	8.95 8.40 8.17	8.94 8.38 8.14	33.902 33.982 34.011	26.2 26.4 26.4	17 1	77.2 63.5 58.2	.385 .438 .468	3.09 2.91 2.80	44.1	30.8 35.7	1.90	25.4	.00	.00	. 03	151 182 202
1 1	212	8.04 7.74	8.02 7.71	34.024	26. 26.	04 1	55.7 50.6	.487	2.73	41.1	39.8 43.2	2.11	28.5 29.9	.00			213 243
1	250 ISL 282	7.66 7.42	7.64 7.39 7.30	34.044 34.070 34.097	26.5 26.6 26.6	32 1	49.3 44.5 41.5	.545 .592 .618	2.44 2.10 1.85	31.2	48.6	2.39	31.9	.00			252 284 302
1	300 ISL 345 400 ISL	7.33 7.10 6.67	7.07	34.164	26.7 26.8	50 1	34.1	.679	1.26	18.6	58.0	2.71	35.1	.00			3 4 7 4 0 3
1 1	420 499	6.48 5.71	6.45	34.208	26.8	77 1	23.5	.776 .869 .871		7.3		2.95 3.09	38.0 40.6	.00			423 502 504
1	500 ISL 578	5.70	5.66 5.27	34.220 34.273	26.9 27.0		13.5	. 956	. 3 6		91.6	3.20	41.7	.00			582
	TION G		5.4 W / WO /		V NEW H				CRUISE		ITUDE	24 20	40/48		STATION RT TIME		CTD OTTOM
LATITO		ONGITUDE 21 41.9 W	DAY/HO/ 20/03/		RT TIME		BOTTOM H		35 10.3	N 121	45.8 W		MO/YR 03/86		20 GMT	1	479 M
WIND	SPEED	WAVES W	EA BARO	METER I	ORY W	ET	CLOUDS		WIND S	PEED V	IAVES V	ILA B	ARONE	TER D	RY W	RT C	LOUDS
DEPTH M	TEMP DEG C		SALINITY	SIGMA THETA		DYN HT	D.BAR		DEPTH M	TEMP DEG C	POT TEMI		Ť	HETA			PRESS D.BAR
10	13.89	1 13.800	32.997	24.662	326.9 325.4	0.000 0.033 0.065	10		0 10 20	13.898	13.898	32.99 33.03 33.09	6 2	4.657 4.729 4.808	327.4 320.9 313.6	0.032	0 10 20
20 30 40	13.75 13.73 13.64	4 13.730	33,000 33,001 33,011	24.693 24.699 24.725	324.3	0.098	3 0 4 0		3 O	13.552 13.412 13.273	13.549 13.408 13.268	33.09	9 2	4.840 4.888	310.8	0.095	30 40
5 0 7 5	13.40 11.25	9 13.402 4 11.245	33.106 33.440	24.846	247.3	0.162	50 76		50 75	12.375	12.368 10.991	33.24 33.30	7 2	5.157	281.1 252.8	0.222	50 76
100 125 150	10.45 9.47 8.97	3 9.459	33,561 33,797 33,899	25.753 26.103 26.262	192.5	0.290 0.343 0.389	101 126 151		125 150	10.285 9.557 8.776	10.273 9.543 8.760	33.55 33.78 33.85	0 2	5.775 6.076 6.260	223.3 195.1 178.0		101 126 151
1 ' 5 200	8.56 8.24	1 6.543 7 8.227	33.963 34.009	26.178 26.462	167.2	0.432	176 202		175 200	8.311	8.293 7.998	33,94 33,98	1 2	6.399 6.480	165.1 157.7	0.424	176 202
225 250 275	7.91 7.54 7.52	9 7.524	34.054 34.040 34.093	26.548 26.589 26.635	148.0	0.512 0.549 0.586	227 252		225 250 275	7.830 7.593 7.247	7.809 7.569 7.221	34.00 34.00 34.02	8 2	6.519 6.558 6.619	154.4 151.1 145.4	0.541	227 252 277
300 350	7,34° 6,77	9 7.320 7 6.745	34.107 34.104	26.671 26.748	141.1 134.2	0.621	302 353		300 350	7.049	7.021 6.622	34.04	1 2	6.661 6.764	141.8	0.614	302 353
400 450 500	6.35 5.75 5.48	8 5.720	34,146 34,145 34,176	26.837 26.912 26.970	119.1	0.755 0.817 0.875	403 454 504		50 75 100 125 150 175 200 225 250 275 300 350 450 500 511	6.423 6.298 5.776	6.387 6.258 5.733	34.16 34.24 34.24	8 2	6.857 6.926 6.989	124.3 118.5 112.5	0.808	403 454 504
511	5.38		34.182	26.987		0.887	515		511	5.623	5.580	34.23		6.998	111.7		515

STA	TIUN B	1 71			RV NEW I	HCRIZON		CRUIS	SE SQ86				STATIO	N B 2	: CTD
LATIT 35 12		UNGITUDE 11 28.1 w	1AY HC 2, ,3		STARL TIME		BOTTOM 614 M	LATITE 35 12.		NGITUDE 1 23.6 W	DAY/HO/ 20/03/		TART TIM 0814 GM		BOTTOM 706 H
	SPEED 32 KT	WAVES W		METER 4 MB			rticos	WIND 280	SPBED U5 KT	WAVES W		METER .8 MB	DRY 13.0 C 1	WET 2.7 C	CLOUDS
DEPTH H	IBMP DEG (P T IBHE DBG (SALIN, TY	SIGHA THBTA	S • A	LYN HT	FRESS C.BAR	DEPTH H	TEMP DEG C	POT TEMP DEG C	SALINITY	SIGMA THETA	SVA	DYN HI	PRESS D.BAR
e	112		11.1	.4.640				¢	13.670	13.670	33.087	24.777	316.0	0.000	0 (
10	13.50		13.544					1.0	13.427	13.426	33.076	24.818	312.3	0.031	10
2 G	13.33		13.,94	4 85		6 }	2.1	2.0	13.345	13.342	33.073	24.833	311.2	0.063	20
30	13.30		11,090	24.45	3.9.1	44	٠.	3 L	13.29	13.293	33.082	24.850	309.8	0.094	30
40	13.13:		33.144	24. +1		1.24	٠.	4 L	13.123	13.118	33.113	24.908	304.5	0.124	40
50	11.776		13.358	25.35	162.0	27.153		5.0	11.811	11.865	33.293	25.289	268.5	0.153	0 د
7.5	10.84	1 10.832	3 1	25.59	46.1	3.215	, 6	1.5	:0.508	10.499	33.414	25.629	236.6	0.216	76
106	10.35	8 10.346	13.643	25.4	214.1	0.212	101	100	10.286	10.274	33.708	25.897	211.7	0.272	101
125	9.660	6 9.652	33.874	26.131	169.9	2.323	126	125	9.733	9.719	33.844	26.097	193.2	0.323	126
150	9.46		33.989	26,176	185.1	0.310		150	9.356	9.339	33.897	26.200	183.8	0.370	
175	8.98	8.96⊋	33.951	26.3.2	174.5	0.415	176	175	8.867	8.848	33.949	26.319	172.8	0.414	
200	8.531	8 8.517	33.99"	26.408	104.8	0.453	262	200	8.501	8.480	33.999	26.416	164.1	0.457	
225	7.98	8 7.965	34.008	26.500	156.2	3.497	2.47	225	8,272	8.249	34.038	26.481	158.2	0.497	
250	7.59:	7.571	34.014	26.562	150.6	0.536	252	250	7.805	7.780	34.036	26.549	152.0	0.536	
275	7.40	7 .380	34.0	26.639	143.1	0.512	27.	275	7.609	7.582	34.047	26.586	148.8	0.573	
300	7.277	7 . 248	34.100	26.616	140.6	0.608	302	300	2.353	7.324	34.092	26.658	142.2	0.610	
350	7.12	7.089	34.191	26.71.	132.3	1.616	353	350	7.124	7.091	34.158	26.743	134.9	0.679	
400	6.79	5 6. 8	34.226	26.842	126.1	6. 41	♦03	40C	6.807	6.770	34.215	26.832	127.0	0.744	
450	6.410	6.369	34.24	26.910	120.0	0.802	454	450	6.303	6.263	34.252	26.928	118.2	0.806	
500	5.96	5,918	34.275	25,990	112.7	0.860	504	500	5.867	5.824	34.271	26.999	111.8	0.863	
508	5,930	5.886	3 4 . 2 7 7	26,996	114.3	0.869	512	53 ů	5.667	5.622	34.290	27.039		0.896	

LATI 35 1	TUDE 2.0 N	LONGITUDE 121 14.0 W	DAY/HO/YR 20/03/86	MBSSENG 1055 G		BOTTON 581 M	WIND SP1 020 05		AVES	WEATHER	BARONI 1025.		DRY 12.3 C 1		LOUD A	TYPE
CAST	DEPTH M	TEMP DEG C	POT TEMP DEG C	SALINITY	SIGMA THBTA	SVA	DYN HT	OXYGEN ML/L	PCT	SIO3 UM/L	PO4 UM/L	NO3 UM/L	NO2 UM/L	CHL-A UG/L	PHAEO UG/L	PRESS D.BAR
	0 IS1	. 13.31	13.31	33.050	24.821	312.4	.000	5.99	100.5							0
1	1	13.31	13.31	33.050	24.821	311.9	. 003	5.99	100.5	7.1	.60	2.4	. 11	. 44	A .27	
	10 ISI		13.02	33.036	24.868	307.7	.031	6.05	100.9							10
1	11	13.00	13.00	33.035	24.872	307.3	.034	6.05	100.9	7.3	.62	2.8	.13	.64	. 40	11
	20 ISI	. 12.83	12.83	33.034	24.905	304.7	.062	6.02	100.0							20
1	2 2	12.80	12.80	33.034	24.910	303.9	.067	6.01	99.8	7.4	.64	3.0	. 13	. 93	.50	2.2
	30 IS	12.63	12.63	33.122	25.012	294.4	.092	5.81	96.2							30
1	43	12.26	12.26	33.299	25.220	274.9	.128	5.37	88.3	8.0	. 8 1	6.1	. 12	.35	.31	43
	50 IS		11.94	33.367	25.332	264.5	.147	5.08	83.0							50
1	58	11.59	11.59	33.418	25.438	254.5	.168	4.82	78.2		1.04	10.5	.04	.19	. 25	58
1	69	11.14	11.14	33.437	25.535	245.5	. 195	4.70	75.5	12.6	1.14	12.2	.04	. 15	.20	69
	75 ISI	10.97	10.96	33.487	25.606	238.9	.210	4.50	72.0							76
1	84	10.75	10.74	33.567	25.706	229.6	.230	4.18	66.6	16.2	1.35	15.8	.01	.07	.12	84
1	99	10.22	10.21	33.664	25.874	213.9	. 266	3.73	58.8	21.1	1.56	19.4	.00	.04	.12	100
	100 ISI	. 10.20	10.19	33.667	25.879	213.4	.267	3.72	58.7							101
1	114	9.57	9.56	33.724	26.030	199.3	. 296	3.57	55.5	23.5	1.69	22.0	.00	.02	.06	115
	125 ISI	9.22	9.20	33.785	26.135	189.5	.317	3.40	52.5							126
1	140	8.82	8.81	33.871	26.264	177.3	.345	3.16	48.4	29.8	1.90	25.6	.00	.01	.05	141
	150 ISI	. 8.61	8.60	33.911	26.329	171.4	.362	3.06	46.6							151
1	161	8.42	8.40	33.947	26.387	166.0	.381	2.97	45,1		2.00	27.5	.00	.00	.04	162
1	193	8.09	8.07	34.006	26.484	157.3	. 432	2.80	42.2	38.4	2.10	28.6	.00	.01	.04	194
	200 ISI	8.00	7.98	34.013	26.501	155.7	. 443	2.76	41.5							202
1	223	7.77	7.75	34.034	26.552	151.2	.478	2.58	38.6	42.7	2.20	30.1	.00			224
	250 ISI	7.65	7.62	34.079	26.606	146.5	.519	2.12	31.6							252
1	253	7.64	7.61	34.084	26.612	146.1	.524	2.06	30.7	47.3	2.38	32.0	.00			255
1	294	7.35	7.32	34.079	26.649	143.0	.583	1.94	28.7	50.5	2.46	33.0	.00			296
	300 ISI	7.30	7.27	34.084	26.660	142.1	.591	1.89	27.9							302
1	356	6.88	6.85	34.143	26.765	132.8	.667	1.28	18,8	60.3	2.72	35.9	.00			358
-	400 IS		6.70	34.203	26.832	127.0	.725	. 87	12.7							403
1	412	6.69	6.66	34.218	26.850	125.5	.740	.77	11.2		2.92	37.4	.00			415
ī	474	6.17	6.13	34.262	26.953	116.1	.815	.49	7.1	78.7	3.08	39.0	.00			477
-	500 ISI		5.92	34.279	26.993	112.5	.845	.41	5.9							504
1	535	5.70	5.66	34.298	27.041	108.1	.884	.34	4,8	88.5	3.18	40.3	.00			539

A. SECOND FLOUROMETER READING NOT RECORDED, CHLOROPHYLL AND PHAEOPHYTIN CALCULATED WITH ASSUMED ACID RATIO INTERPOLATED FROM ADJACENT LEVELS.

STA	TION B	5 CTD			RV NEW 1	HORIZON		CRUI	SE SQ86				STATION	B 6	CTD
LATI1 35 12		NGITUDE 1 9.1 W	DAY/HO/ 20/03/		TART TIM		BOTTOK H	LATIT 35 12		NGITUDE 1 4.3 W	DAY/NO/ 20/03/		ART TIME 350 GHT		SOTTOM 437 H
WIND	SPRED	WAVES W	ea Baro	METER	DRY	WET	CLOUDS	WIND 020	SPEED 03 KT				DRY W		CLOUDS 0/8
DEPTH M	TEMP DEG C	POT TEMP DEG C	SALINITY	SIGMA THETA	SVA	DYN HT	PRESS D.BAR	DEPTH M	TEMP DEG C	POT TEMP	SALINITY	SIGMA Theta	SVA	DYN HT	PRESS D. BAR
0	13.284	13.284	33.144	24.899	304.3	0.000	0	0	13.585	13.585	33,110	24.812	312.6	0.000	0
10	13.045		33.119	24.928	301.9	0.030		10	13.425	13.424	33.106	24.842	310.1	0.031	10
20	13.001		33.124	24.941	301.0	0.060		20	13.199	13.196	33.105	24.887	306.1	0.062	20
30	12.973	12,969	33.128	24.949	300.4	0.091	30	30	13.110	13.106	33.108	24.907	304.4	0.092	30
40	12.947	12.942	33.132	24.958	299.8	0.121	40	40	12.397	12.392	33.237	25.146		0.122	40
50	11.773	11.767	33.343	25.346	263.0	0.149	50	50	11.636	11.630	33.429	25.438	254.3	0.149	50
7.5	10.491	10.482	33.561	25.746	225.5	0.210	76	75	10.382	10.373	33.566	25.769	223.3	0.208	76
100	9.489	9.478	33.704	26.027	199.2	0.263	101	100	9.452	9.441	33.705	26.034	198.6	0.261	101
125	8.9 9	8.956	33.818	26.200	183.2	0.311	126	125	9.052	9.039	33.864	26.223	181.0	0.308	126
150	8.7.	8.731	33.936	26.327	171.5	0.355	151	150	8.721	8.705	33.931	26.327	171.5	0.353	151
175	8.425	8.407	33.993	26.422	162.9	0.397	176	175	8.502	8.484	33.962	26.386	166.4	0.395	176
200	8.193	8.173	34.024	26.482	157.7	0.437	202	200	6.203	8.183	34.010	26.469	158.8	0.435	202
225	7.886		34.054	26.551	151.4	0.475	227	225	7.892	7.870	34.030	26.531	153.3	0.474	227
250	7.715	7.690	34.083	26.599	147.2	0.513	252	250	7.663	7.638	34.059	26.588	148.2	0.512	252
275	7.388		34.076	26.641	143.5	0.549		275	7.415	7.368	34.086	26.645	143.1	0.549	277
300	7.019	6.991	34.063	26.682	139.8	0.585	302	300	7.236	7.207	34.114	26.692	139.0	0.584	302
350	6.814	6.782	34.138	26.770	132.2	0.653	353	350	6.879	6.846	34.161	26.779	131.3	0.651	353
400	6.610	6.573	34.212	26.856	124.6	0.717	403	400	6.706	6.669	34.211	26.842	126.0	0.716	403
450	6.376	6.335	34.254	26.920	119.1	0.778	454	408	6.675	6.637	34.213	26.848	125.5	0.726	411
500	5.995	5.951	34.277	26.988	113.0	0.836	504								
521	5.856	5.811	34.285	27.011	110.9	0.859	525								

							•								
uATITC 6 3 N	85 1 F	1 43 M . 17	MESSEN II I	19 a - B - M I	unt H	• ' N1 • 4.	**************************************	A++.	# E.A F F	- A 5 - M	- 18.a - Mi (- :	•£.	1.75 AF	HI IYFE
A87 . 1.74	15.41		4 1.15	7 (# 4 7 - 9 [=	14.4	0118 - 5	X 1 15 5 И.		ü			• .	. • . •	ELEAD.	i késa Li pak
				. + *.1	1										
									. •	. ,			. 6	. • :	
		. •	•										•		
						*.	* i								• •
				. 4	5.4	. • •	:		·	٠.	. •	4	•		
			* * * * * * * * * * * * * * * * * * * *				.1 -	***	• .		-				* 5
-					-	1.1	4 4.0								' ь
	*	٠.					- 1-	* 6	11.	1 45	• • • •		. •	•	
			* * * * * * * * * * * * * * * * * * *	100			3	٠.		1.61				•	r 4
			•			• 5		. •							
		• • •	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			. A.4	1.4t	45.1	!	1.15		•	. 0 .	- 11	1
1			1	20.2.7	171.5		2.90	44 1	3	1.7		4			. **
1		1 . 4				. 11 4	e .	* *		e					111
			***	. * * * *	1 2.3	. 4.0			1 . 0	1119					186
. :		4 .	4. (1) (4. (5)		16 4.6 18 4	. ~ *						6			
	•	• • •			, ' Ĉ · 4	. + 5	*		44.3	5	. *. 5	5	•	•	
pulA Con None S	-		٠.	No	, S		CRUISA	54ht					Tal N	:	. **)
.ATIT DE E ILLI NO EL	N - 2 1 1 1 € 	w., w	YA TAR	1 1145	F 170	ж #	LATTELE Ew Sel7	1 K N 1.	JIT IE	. A	r #1 59 ,5 84	:	A+1 1,45 -15 MT		9. II H 85 H
¥18			ي يا يو			S	#15 4E	8.F1	m A v F S		54 - 45 1				11. 54
1.e.29 neMer	. * (5 . ₩)	F - 40 . N 177	r LaMA No. a nu	· A	F - F - S . . F .	, ž	. hilb	"BHI	FLI JEM	F .ALI	N11: 5	. MA			F + F .
					-	y.		141	13.1.1						
						. 5 . 9		19.545 11.445	1 . 44			• • • •			
		1 4 5 4 5 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5					3.0		100000		·			٧	-
					1.0	S.		12.74 .11	11.7						-
					. +4	t-	٠.	13111		3 + 1 *		,			
* ***	. ,	+3. 1 *		. •		•	k 3	11,091) , ∺≖	2.5		•		:·	* .
N - •					. 5	Villa 11	.,						*A. 8		, · •
**************************************	×		mg vig	17 F	#	•18] <u>(</u> 1	raki .	ASES .	•r⊁lar÷	- A - W	1184		* % : 1		er dage
ent objects							. D. J. Langen Hill								
-	• • •			19878	riwir			F :		•	1 # .	₩ .	÷ .		1.888
			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				5.32			. 50	. :			. 15	
		•			* *			100							
						0.00	* . * 3			,					. •
		*	10.1	2701551		0.4.	5 9	** "							
				1 1 2 2 3		1.145 1145	43	-1.4							
				/ S - 1	10.3	144	5.22	63.7					• •		
			1.1			.163	4,94	1			11.	*		-	
٠		* .			1.18.	1144	4.28	6	: -	1.3	11.		*	. 13	
	•		1 1		:	5	3.94	6	4		1				٠.
			100		143.1	.236 .274	1.54 1.45	•							. :
				10 m 1 m 1 m	15 0		1.151	-							
				. 5.19e . 7.33.5	104.		2 : 0 i				• * • •			. 2.5	
								4 .	. *			.16	. :		

STAT	rion c	3 CTD		RV	NEM HOS	IZON		CRUISE	5Q86				STATION	M C 4	C7D
LATITU		ONGITUDE 20 57.2 W	DAY/HO/ 20/03/		TIME	BOTTO 325		LATITUD 34 59.9		GITUDE	DAT/HO/ 20/03/		ART TINE		BOTTON 459 N
WIND		WAVES 1	iea Baro	METER DRY	WET	CLOUD	S	WIND S	PEED	WAVES	WEA BARG	METER I	DRY 1	MET	CLOUDS
DEPTH H	TEMP DEG C		P SALINITY	SIGMA THETA	SVA DY	N HT PRES		DEPTH M	TEMP DEG C	POT TEN DEG C	P SALINITY	SIGHA THETA	SVA	DYN HT	PRESS D.BAR
0 10 20 30 40 50 75 100 125 150 175 200 225 275 300	13.73 13.46 13.10 13.00 12.64 11.36 10.56 9.49 8.72 8.63 7.80 7.80 7.60 7.43 7.12 7.08	7 13.466 13.099 7 13.003 12.639 11.356 5 10.556 0 9.479 8 8.771 2 8.706 8 8.620 1 7.780 2 7.780 5 7.581 7 7.404 4 7.096	33.149 33.130 33.118 33.127 33.215 33.248 33.560 33.757 33.891 33.935 34.022 34.018 34.035 34.068 34.115 34.133	24.852 3 24.916 2 24.942 3 25.082 2 25.348 25.733 2 26.068 1 26.255 1 26.331 1 26.412 1 26.509 1 26.560 1 26.665 1 26.665 1 26.665 2	62.9 0 26.8 0 95.3 0 78.0 0 71.2 0 64.0 0	1.062 21 1.062 21 1.092 31 1.121 41 1.121 77 1.263 10 1.263 10 1.353 15 1.395 17 1.435 20 1.435	000000000000000000000000000000000000000	0 10 20 30 40 50 75 100 125 150 225 225 275 300 400 420	13.980 13.142 13.027 12.696 11.661 10.482 9.692 9.692 8.709 8.332 7.970 7.807 7.454 7.420 7.156 6.588 6.523	13.980 13.249 13.139 13.023 12.691 11.655 10.473 9.681 9.230 8.693 7.785 7.785 7.785 6.910 6.551 6.485	33.119 33.130 33.196 33.223 33.557 33.673 33.823 33.939	24.744 24.882 24.909 24.940 25.057 25.274 25.745 26.366 26.425 26.507 26.547 26.650 26.650 26.650 26.650 26.650 26.650 26.850	306.3 304.0 290.4 269.9 225.6 204.8 187.0 170.7 155.8 151.7 145.8 142.7 138.6 132.5 125.1	0.062 0.092 0.122 0.150 0.212 0.265 0.314 0.359 0.401 0.447 0.516	10 20 30 40 50 76 101 126 151 176 202 227 257 257 302 353 403
RV Þ	NEW HORIS	ZON				CR	IISE SQ	86					STATION	1 C 5	KYDRO
1ATI1		LONGITUDE 121 07.0 W	DAY/MO/YR 21/03/86	MESSENG 0025 G		BOTTOM 1 536 M		PRED 4 KT 32		WEATHER 1	BAROMETER 1025.3 MB	DRY 14.2 C 1		CLOUD A 5/8	MT TYPE NS
CAST	DEPTH M	TBMP DBG C	POT TEMP DEG C	SALINITY	S I G M A T H E T A		DYN HT	OXYGE HL/L		SIO3 Um/L	PO4 NO3 UM/L UM/	NO2 L UM/L	CHL-A UG/L	PHABO UG/L	PRESS D.BAR
1	0 10 20 ISL	13.86 13.35 13.14 13.02	13.86 13.35 13.14 13.02	33.124 33.130 33.130 33.131	24.767 24.875 24.918 24.943	307.0 303.6	.000 .031 .062	6.56 6.40	110.2	3.1	.43 .	5 .02	1.29	.55 .69	
1	3 1 4 7	13.01	13.01	33.131 33.213 33.257	24.944 25.087 25.178	300.9 287.7	.095	6.23 5.63	103.9 93.2	5.9	.44 .		1.62	. 92 . 44	3 1
1	57 73	12.31 11.67 10.89	12.31 11.66 10.88	33.357 33.525	25.377 25.649	260.3 234.7	.169 .208	5.06 4.31	82.2 68.9	9.3	.96 9. 1.30 14.		.19	.2, .13	57 73
1	75 ISL 89 100 ISL	10.81 10.44 10.10	10.80 10.43 10.09	33.535 33.568 33.618	25.671 25.761 25.858	224.4	. 214	4.10	64.9	16.9	1.43 17.	2 .04	.03	. 11	76 89 101
	103 125 ISL	9.99	9.98	33.636 33.780	25.891 26.140	212.3 188.9	.277	3.85	60.4 52.4	19.9	1.56 19.		.02	.11	126
	129 150 ISL 151	9.01 8.75 8.74	9.14 9.00 8.73 8.73	33.810 33.910 33.915	26.187 26.307 25.312	173.5	.328 .365 .367		47.4	•	1.84 24. 1.95 25.	8 .00	.01	.04	151
	181 200 ISL	8.07	8.05	34.000 34.043	26.453 26.516 26.548	154.3	.417 .447 .466	2.85 2.55 2.35	38.4	,	2.08 27. 2.28 30.		.00	.03	202
1	213 244 250 ISL	7.96 7.69 7.59	7.94 7.66 7.56	34.065 34.080 34.080	26.601	146.9	.512	2.12	31.7	46.2	2.38 31.			.02	245 252
	284 300 ISL	7.02 6.77	6.99	34.080 34.079	26.695 26.728	135.8	.570	1.69	24.7		2.55 34.				286 302
	346 400 ISL 402	6.29 6.47 6.48	6.26 6.43 6.45	34.075 34.202 34.208	26.789 26.866 26.870	123.5	.653 .722 .724	.78	11.4		2.74 37. 2.94 37.				3 48 403 405
	464	6.33	6.29	34,246 34,268	26.921	114.2 114.8	.798 .841	.59	8.5 6.8	74.5	3.03 38.	6 .00			467 504
	525	5.84	5.79	34.283	27.012		. 869			87.5	3.16 39.	4 .06			529
	TION C				NEW HOR			CRUISE					STATION		
LATITU 35 O.	0 N 12	NGITUDE	DAT/HO/1 21/03/8	0158	GHT	BOTTO: 570 P	ı		N 121	GITUDE 16.9 W	21/03/	86 03	RT TIME	r .	592 H
WIND	SPEED		IEA BAROI					WIND S		WAVES !					CLOUDS
DEPTH M	TEMP DEG C		SALINITY			N HT PRESS D.BAS	; !	DEPTH M	TEMP DEG C		P SALINITY				
0 10 20	13.584 13.604 13.229	13.584 13.603 13.226	33.108 33.113 33.099	24.811 3 24.811 3 24.876 3	12.7 0 13.0 0 07.1 0	.000 0	•	0 10 20	13.762 13.761 13.495	13.762	33.106 33.105 33.111	24.773 24.773 24.832	316.3	0.000	0 10 20
3 0 4 0	13.229	13.225	33.101 33.116	24.878 3 24.888 3	07.2 0 06.5 0	.093 30) 	3 0 4 0	13.134	13.130 13.040	33.112 33.134	24.905 24.940	304.6 301.5	0.094	3 0 4 0
50 75 100	12.901 11.168 10.191	12.894 11.159 10.179	33.179 33.479	25.004 2 25.563 2	95.7 0 42.9 0	.154 50	•	50 75	12.521	12.514	33.241 33.472	25.126	284.1	0.153	50 76 101
125	9.234	9.220	33.778 33.874	26,126 1 26,287 1	90.2 0 75.3 0	.329 126		125	9.245	9.231	33.790 33.912	26.134	189.5	0.328	126
175 200	8.224 7.950	8.206 7.930	33.986 34.001	26.447 1 26.500 1	60.5 0 55.9 0	.417 176 .456 202		175	8.359	8.341	33.964 34.002	26.409 26.469	164.1 158.9	0.415	176 202
225 250 275	7.843 7.568 7.391	7.821 7.544 7.364	34.080 34.082	26.618 1 26.645 1	45.3 0 43.1 0	.495 227 .531 252		225 250 275	7.405 7.405	7.895 7.381 7.303	34.044 34.058 34.087	26.539 26.624 26.634	152.6 144.7	0.494	227 252 277
300 350	7.117 6.627	7.089	34.098 34.108	26.696 1 26.771 1	38.5 0	.603 302 .670 353		300	7.260	7.231	34.131	26.702	138.0	0.602	302 353
450	6.585	6.548	34.190 34.210	26.842 1 26.898 1	25.9 0 21.0 0	.735 403		400 450	6.457	6.421	34.181 34.238	26.852	124.9	0.733	403 454
512	6.003 5.930	5.959 5.885	33.108 33.113 33.099 33.101 33.116 33.179 33.479 33.632 33.778 33.874 33.986 34.001 34.077 34.080 34.082 34.108 34.108 34.108 34.108 34.108 34.20 34.277	26.996	12.3 0	.869 516		510	5.999	5.954	34.270	26.982	113.7	0.864	504
															37

STAT	1.N J 8	e cro			RV NEW	HOR : ZON		CRUI	SE SQ86				STATION	I C 9	CTD
LATITU:		NGITUDE	DAY. HO 21/03/		START TIM		BOTTOM 439 M	LATIT 35 0		NGITUDE 21 26.5 W	DAY/HO/ 21/03/		TART TIME		BOTTON 463 A
HIND :	S F 8 8 2	WAVES W	BARC BARC	METER	DRY	FRT	cleups	WIND	SPRED	WAVES WE	A BARO	METER	DRY 6	ET	CLOUDS
D M P T H	TBMF LEG C	FCT TBMP DBG C	SALINITY	SIGMA THETA		DYN HT	PRESS D.BAR	DEPTH H	TEMP LEG C	POT TEMP DEG C	SALINITY	SIGHA THETA	SVA	DYN HT	PRESS D.BAR
4.0	13,949 13,896 13,309 13,191 13,151 11,377 10,884 9,024 8,181 7,948 1,547 7,587 0,308 0,308 0,308	13.949 13.885 13.186 13.186 13.186 11.368 10.836 19.913 9.108 8.576 8.163 1.925 1.523 1.412 1.752	33.090 33.092 33.099 33.087 33.098 33.262 33.464 33.655 33.846 33.950 33.981 34.072	24.72 24.83 24.83 24.83 25.89 25.90 25.90 26.33 26.36 26.76 26.76 26.77 26.884 26.884	3 20.2 3 10.3 3 10.3 1	0.000 0.032 0.064 0.095 0.125 0.125 0.227 0.290 0.346 0.395 0.439 0.431 0.557 0.557 0.553 0.695 0.758	151 176 202 227 252 277 302 353 403	0 10 20 30 40 50 75 100 125 150 225 250 275 300 400 430	13.87 13.56 13.33 13.30 11.86 11.49 10.48 9.69 8.52 8.24 7.73 1.54 7.49 7.49 6.51 6.51	3 13.567 13.329 13.303 12.660 11.858 11.486 4 10.472 5 8.890 8 8.505 4 8.224 7.710 7.710 7.516 7.470 7.087	33.088 33.095 33.081 33.091 33.195 33.204 33.372 33.556 33.715 33.870 33.968 34.010 34.033 34.063 34.102 34.103 34.103	24.736 24.804 24.842 24.855 25.062 25.221 25.421 26.002 26.251 26.387 26.538 26.538 26.538 26.651 26.639 26.651 26.849 26.865	313.7 310.4 269.9 274.9 256.6 226.3 202.1 178.8 166.2 159.5 149.0 143.7 143.0	0.000 0.032 0.063 0.094 0.124 0.152 0.219 0.332 0.380 0.423 0.464 0.503 0.541 0.683 0.748	10 20 30 40 50 76 101 126 151 176 202 227 252 277 302 353 403
STATE	ion 3 id	er:			RV NEW I	HORIZON		CRUI:	sg sq8t				STATION	C 11	CTD
LATITUS 35 3.1		GITULB 31.1 W	DAY HC. 11 J3:		TART TIME 0626 GM		80TTGH 708 H	LATITE 35 0		NGITUDE 1 35.6 W	DAY/ NO/ 21/03/		ART TIME		BOTTOM 1234 M
WIND 8	SPEBI	WAVES W	ea Barc	METER	DRY 1	BT	CLOUDS	WIND	SPEED	WAVES WE	A BARO	METER	DRY W	ET	CLOUDS
IBPTH M	TEMP DBG D	DES C	SALINITY	SIGMA THEIA	SVA	DYN HT	PRESS D.BAR	DBPTH M	TEMP DEG C	POT TEMP DEG C	SALINITY	SIGMA THETA	SVA	DYN HT	PRESS D.BAR
11 12 21 21 21 21 21 21 21 21 21 21 21 2	13.84. 13.87. 13.87. 13.87. 13.87. 13.87. 14.37. 14.37. 14.37. 15.47. 16.47.	13.833 13.833 13.651 13.651 13.651 11.48 1	33.035 33.069 33.153 33.153 33.153 33.153 33.750 33.957 33.959 33.963 34.007 34.029 34.029 34.108 34.108 34.118 34.118	24.706 24.706 24.706 24.732 25.025 25.025 25.025 26.202 26.363 26.542 26.593 26.542 26.593 26.593 26.593 26.976	323.2 323.3 321.1 321.1 316.2 293.3 207.0 183.5 168.6 157.1 144.1 144.0 132.9 128.4 121.9 128.4	0,065 0,097 0,129 0,159 0,228 0,288	10 20 30 40 50 76 101 126 151 176 202 227 77 302 252 277 303 403 404 405 405 405 405 405 405 405 405 405	0 10 20 30 40 50 75 100 125 150 275 250 275 300 350 400 450 510	14.10; 14.13; 14.20; 14.09; 14.09; 11.33; 10.30; 9.83; 8.96; 8.19; 7.91; 7.52; 7.28; 7.16; 6.86; 6.29; 6.035;	14.131 14.198 14.093 14.037 12.596 11.324 10.289 9.825 8.945 8.444 8.176 7.892 7.500 7.257 7.134 6.836 6.543 6.553	33.055 33.067 33.132 33.119 33.211 33.344 33.496 33.730 33.895 33.973 34.004 34.051 34.070 34.051 34.070 34.160 34.160 34.219 34.233	24.664 24.667 24.703 24.715 24.725.087 25.729 25.990 26.262 26.401 26.651 26.651 26.691 26.948	326.7 323.6 322.7 322.0 287.8 255.8 227.7 203.3 177.8 165.0 159.2 153.6 146.9 142.5 131.3 126.0 120.5	0.513 0.550 0.586 0.622 0.689	10 20 30 40 50 76 101 126 151 176 202 27 7352 277 303 403 403
STATE	19N 0 12	CTU			RV NEW 1				E SQB6				STATION		
EATITUL > Lui	1 8 1.1	PITIDB 40,4 W	2AY M6 11 737	86	TART TIME 0836 GM	7	BOTTOM 1593 M	LATITE 35 0.	.ON 12	NGITUDE	DAY/HO/ 21/03/	86 (TART TIME	•	BOTTON 1885 H
#INT S				METER			CLOUDS	MIND		WAVES WE		METER			CLOUDS
IBPTH M	TEMP DEG 0	51. C	SALISITY	THETA		DYN HT	D.BAR	DEPTH	TEMP DEG C	POT TEMP DEG C		THETA		DYN HT	D.BAR
10 3. 4. 50 50 10 10 10 10 10 10 10 10 10 10 10 10 10	14, 63- 14, 764 14, 765 12, 765 12, 769 11, 769 11, 769 11, 769 11, 765 11, 76	14.415 14.354 14.351 14.350 12.782 14.350 12.787 9.524 8.431 8.123 1.526 6.132 6.431 1.526	33.13- 33.135 33.136 33.155 33.191 33.22 33.154 33.741 33.741 33.741 33.761 33.761 34.066 34.066 34.067 34.161 34.17 34.18 54.281	24.652 24.732 24.745 24.745 25.061 25.842 26.71 26.409 26.40 26.55 26.659 26.659 26.659 26.70 26	326.5 317.1 317.1 296.2 256.2 416.4 173.5 176.9 158.1 153.8 153.8 140.2 121.4 121.4 121.4	0.000 0.005 0.005 0.005 0.129 0.129 0.287 0.384 0.427 0.546	30 40 50 76 101 126 151 176 202 227 252 277 302 353 454	0 10 20 30 40 50 125 150 175 200 225 250 275 300 450 450 500 528	14, 221 14, 02' 13, 96; 13, 03 10, 922 9, 928 9, 55; 8, 97, 67, 7, 67, 7, 67, 7, 67, 7, 7, 22, 6, 80, 21, 5, 7, 05, 5, 7, 05, 5, 29, 29, 5, 29, 29, 5, 29, 29, 29, 29, 29, 29, 29, 29, 29, 29	14.237 14.169 14.021 13.955 13.023 10.914 9.917 9.538 8.959 8.616 8.234 7.650 7.629 7.391 6.584 6.584 5.669	33.094 33.081 33.069 33.061 33.069 33.071 33.163 33.380 33.534 33.746 33.746 33.853 34.001 34.042 34.087 34.116 34.1171 34.186	24.669 24.6670 24.670 24.707 24.966 25.530 25.825 26.050 26.359 26.359 26.573 26.611 26.668 26.747 26.834 26.968 27.001	327.3 326.8 325.0 323.8 299.3 246.1 218.4 197.6 179.5 160.3 154.8 149.7 146.5 141.4 134.2 126.7	0.065 0.09A 0.13c 0.16c 0.230 0.288 0.340 0.430 0.472 0.511 0.549 0.622 0.691 0.756 0.818	10 20 30 40 50 76 101 116 151 176 202 227 302 277 302 252 277 303 403 403

CONTRACTOR OF THE PROPERTY OF

PRIMARY PRODUCTIVITY CASTS

RV NEW HORIZON CRUISE SQ86 STATION A 1

RV NEW HORIZON		CRUISE SQ86	STATION A 1
LATITUDE LONGITUDE 34 56.1 N 120 55.2 W	MO/DAY/YR MESSENGER 03/16/86 1911 GMT		LAM CIVIL TWILIGHT INTEGRATED VALUE 1213 PST 1838 PST 289.0 MG C/M2
DEPTH TEMP SALINITY M DEG C	SIGMA DISS 02 OXY THETA ML/L PCT	SIO3 PO4 NO3 NO2 CHL UM/L UM/L UM/L UG/L	PHABO LIGHT UPTAKE (MGC/M3) UG/L PCT 1 2 MBAN DARK
1 14.01 33.016 13 13.98 33.028 19 13.96 33.025 28 13.90 33.017 46 13.12 33.063 85 10.62 33.550	24.652 5.99 102.0 24.669 5.99 101.9 24.672 6.00 102.0 24.677 6.01 102.1 24.870 5.96 99.6 25.717 4.29 68.2	3.2 0.35 0.0 0.00 0.27 3.4 0.35 0.0 0.00 0.31 3.4 0.35 0.0 0.00 0.30 3.5 0.35 0.0 0.00 0.35 4.1 0.44 1.0 0.06 0.46 15.2 1.27 15.7 0.01 0.05	0.11 96 2.8 1.7 2.3 0.15 0.12 34 6.4 6.0 6.2 0.17 0.13 24 5.9 4.0 4.9 0.15 0.13 12 5.7 4.6 5.1 0.17 0.27 2.6 3.8 4.1 3.9 0.15 0.07 0.13 0.01 0.04 0.02 0.15
RV NEW HORIZON		CRUISE SQ86	STATION G 11
LATITUDE LONGITUDE 36 03.0 N 121 41.0 W	MO/DAY/YR MESSENGER 03/17/86 1803 GMT		LAN CIVIL TWILIGHT INTEGRATED VALUE 1215 PST 1841 PST 964.5 MG C/M2
DEPTH TEMP SALINITY M DEG C	SIGHA DISS 02 OXY THETA ML/L PCT	SIO3 PO4 NO3 NO2 CHL UM/L UM/L UM/L UM/L UG/L	PHABO LIGHT UPTAKE (MGC/M3) UG/L PCT 1 2 MEAN DARK
1 12.95 33.106 7 12.97 33.106 8 12.94 33.104 12 12.94 33.106 21 12.86 33.149 37 11.85 33.349	24.936 6.24 104.0 24.933 6.23 103.8 24.938 6.23 103.8 24.938 6.23 103.6 24.988 6.22 103.6 24.988 6.03 100.3 25.375 4.95 80.7	3.0 0.42 0.8 0.06 2.67 3.0 0.41 0.8 0.06 2.71 3.0 0.42 0.8 0.06 2.61 3.0 0.42 0.9 0.06 2.65 3.8 0.50 1.8 0.10 2.09 10.3 0.96 9.9 0.11 0.43	0.44 96 21.4 12.2 16.8 0.29 0.79 34 67.6 78.2 72.9 0.30 0.81 24 50.5 54.3 52.4 0.31 0.80 12 50.3 52.6 51.4 0.32 0.67 2.6 13.5 13.9 13.7 0.21 0.41 0.13 0.63 0.83 0.73 0.14
RV NEW HORIZON		CRUISE SQ86	STATION G 24
LATITUDE LONGITUDE 35 30.8 N 121 34.8 W	MO: DAY, YR MESSENGER 03/18:86 1913 GMT		LAN CIVIL TWILIGHT INTEGRATED VALUE 1214 PST 1842 PST 524.0 MG C/M2
DEPTH TEMP SALIN:TY M DEG C	SIGNA DISS 02 ONY THETA ML/L PCT	SIO3 PO4 NO3 NO2 CHL UM/L UM/L UM/L UG/L	PHARO LIGHT UPTAKE (MGC/M3) UG/L PCT 1 2 MEAN DARK
1 13.49 33.097 11 13.43 33.093 14 13.40 33.093 21 13.38 33.092 35 13.36 33.095 64 11.14 33.469	24.822 6.06 102.1 24.832 6.07 102.1 24.837 6.07 102.1 24.840 6.06 101.9 24.847 6.03 101.3 25.560 4.57 73.4	3.4 0.42 0.6 0.02 0.62 3.5 0.42 0.6 0.02 0.65 3.5 0.42 0.6 0.02 0.60 3.5 0.42 0.6 0.02 0.60 3.6 0.42 0.6 0.02 0.60 3.6 0.42 0.6 0.02 0.60 12.3 1.17 13.0 0.03 0.09	0.25 96 10.5 9.7 10.1 0.24 0.26 34 16.3 17.9 17.1 0.29 0.25 24 15.1 16.1 15.6 0.29 0.27 12 13.7 13.5 13.6 0.27 0.28 2.6 6.1 5.8 6.0 0.18 0.13 0.13 0.17 0.16 0.17 0.12
RV NEW HORIZON		CRUISE SQ86	STATION G 36
LATITUDE LONGITUDE 35 21.7 N 121 38.5 W	MO/DAT/YR HESSENGER 03/19/86 1826 GMT		LAN CIVIL TWILIGHT INTEGRATED VALUE 1214 PST 1842 PST 643.4 MG C/M2
DEPTH TEMP SALINITY M DEG C		SIO3 PO4 NO3 NO2 CHL UM/L UM/L UM/L UG/L	PHABO LIGHT UPTAKE (NGC/H3) UG/L PCT 1 2 MBAN DARK
0 13.66 33.088 10 13.56 33.083 13 13.51 33.080 20 13.44 33.078 34 13.42 33.080 63 11.33 33.402	24.780 6.16 104.2 24.798 6.16 103.9 24.805 6.14 103.5 24.818 6.15 103.5 24.823 6.09 102.4 25.474 4.90 79.0	3.5 0.38 0.1 0.01 0.52 3.5 0.38 0.1 0.01 0.56 3.5 0.38 0.1 0.01 0.57 3.5 0.38 0.1 0.01 0.57 3.6 0.39 0.1 0.01 0.67 3.6 0.39 0.1 0.01 0.78 10.8 1.05 11.1 0.03 0.07	0.22 96 9.9 10.9 10.4 0.31 0.25 34 17.5 19.5 18.5 0.36 0.26 24 15.9 14.7 15.3 0.35 0.30 12 17.7 17.0 17.3 0.36 0.39 2.6 10.5 9.1 9.8 0.18 0.14 0.13 0.16 0.16 0.16 0.12
RV NEW HORIZON		CRUISE SQ86	STATION C 1
LATITUDE LONGITUDE 34 59.5 N 120 46.5 W	MO/DAY/YR MESSENGER 03/20/86 1854 GMT	SECCHI DEPTH INCUBATION TIME 13 M 1210 - 1842 PST	LAN CIVIL TWILIGHT INTEGRATED VALUE 1211 PST 1842 PST 707.0 MG C/M2
DEPTH TEMP SALINITY M DEG C	SIGMA DISS 02 OXY THETA ML/L PCT	SIO3 PO4 NO3 NO2 CHL UM/L UM/L UM/L UM/L UG/L	PHAEO LIGHT UPTAKE (NGC/M3) UG/L PCT 1 2 MEAN DARK
1 13.83 33.088 10 13.54 33.084 13 13.50 33.084 20 13.48 33.083 33 12.88 33.189 59 10.39 33.603	24.746 6.26 106.2 24.801 6.29 106.1 24.809 6.29 106.0 24.814 6.29 105.9 25.015 5.75 95.7 25.797 3.97 62.8	3.9 0.39 0.0 0.00 0.59 3.9 0.39 0.0 0.00 0.68 3.8 0.38 0.0 0.00 0.67 3.8 0.38 0.0 0.00 0.72 5.8 0.60 2.8 0.13 0.67 19.4 1.48 17.8 0.03 0.06	0.27 96 12.4 9.8 11.1 0.32 0.33 34 22.3 23.2 22.7 0.41 0.38 24 22.2 27.9 25.1 0.39 0.35 12 22.1 21.16 021.6 0.39 0.36 2.6 9.8 7.3 8.6 0.23 0.17 0.13 0.0 0.07 0.04 0.19

^{*} DARK UPTAKE EXCEEDED LIGHT UPTAKE.

Secchi Disk Observations


Cruise SQ86


Sta	Day	Mos	Local Time (+8 PST)	Secchi Depth (m)	W eather		ouds Mant
A 1	16	3	1100	19		-	
G = 1	16	3	1500	13	1	SC	6/8
G 11	17	3	0955	8	1	ST	1/8
G 24	18	3	1105	14	l	CS	3/8
G 26	18	3	1357	11	1	CC	6/8
G 36	19	3	1020	14	Ó	-	()
G 40	19	3	1602	21	0	-	()
C 1	20	3	1050	13	ì	CI	3/8
C 2	20	3	1140	12	1	CS	3/8
C = 3	20	3	1310	9	-	-	-
C 4	20	3	1421	8	-	-	-
C 5	20	3	1615	8	1	NS	5/8


Cruise SQ86


MACROZOOPI ANKTON BIOMASS Net Mesh Size 0.505 mm


			les,	1	GML	Widet Vidame	Max tow		ne per Strained
2.1	ţ,	.1 0	$M \cdot D_{ii}$	St :11	150	Stranged trads	Depth (no)	Total tem ²)	Smat (cm²)
GX	35 50 8N	121 51 1W	3.47	1236	1258	450	212	155	155
Gilli	35.59.08	121 37 6W	3 17	1605	1627	534	193	70	70
$G : \mathbb{N}$	35.28.5N	121-21-8W	3/18	0520	0542	472	201	42	92
G 21	35 19 4N	121-24 9W	3/18	1412	1433	473	172	56	56
(r. 24	35 30 98	121 35 FW	3/18	1927	1949	462	208	105	64
() 2h	35 37 98	121 42 6W	3/18	2337	2359	430	159	93	93
G 28	15 45 9 %	121 50 8W	3/19	0326	.1348	442	172	228	228
G 34	15 27 7	121 46 6W	3.19	1404	1426	428	168	136](n)
G 36	35 20 8N	121/39/2 W	3719	17.7	1758	453	1.6	85	85
Cr 40	35 02 5 N	121/38/6W	37.20	0106	01.28	452	193	46	46
0,42	35 10.45	121.46.3W	3 / 20	()44 ~	0510	457	216	105	94
13 4	37 12 0N	121 14 IW	3, 20	1131	1153	408	217	175	175
В	35 12 05	120 59 5W	37.20	1825	1547	40 -	180	158	158
(.	14 59 65	120 S2 8W	3720	2024	2035	232	96	6.2	62
(- 3	38 PHO (18	121 07 IW	37.21	OOS9	0120	455	212	98	98















































































REED - PRODUCTOR REPORTED TO THE PRODUCT OF THE PROPERTY OF TH




















TE DA 8